

STATE: RAJASTHAN



DATED: 24/6/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instt.	Std. Comm.	DGET			
1 Saraswati ITC, V/P. Jugalpura, The. Newai Distt-Tonk Rajasthan DGET-6/20/49/2006-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-29/8/08 w.e.f Aug 08 This Clarifies the clarification sought regarding purchasing of CNC milling trainees.	
2 Karmasheel ITC, Dattatrey Chouraha Jhareda Rd Hinduancity Dist-Karuli Pin-322230 DGET-6/20/143/2008TC	Electrician	One Unit	One Unit	One Unit	One Unit	SCIR-6/9/08 w.e.f Aug 08 This superceds our earlier order dt 14.11.08 (Regarding power proof)	
3 Shri Krishan ITC, Gyarsawalon –Ka-Bass, Badiyal Road, Taluk Baswa, bandikui Distt-Dausa-303313 Rajasthan DGET-6/20/48/2006-TC	Electrician Fitter	Addl. One Unit (4 th) Addl. One Unit (4 th)	Addl. One Unit (4 th) Addl. One Unit (4 th)	Addl. One Unit (4 th) Total 2(1+1) Addl. One Unit (4 th) Total 2(1+1)	Addl. One Unit (4 th) Total 2(1+1) Addl. One Unit (4 th) Total 2(1+1)	DIR-13.3.09 w.e.f Aug 09	
4 Nainwan ITC, Near Panchyat Samiti, Bundi Road, Nainwan, Teh.Nainwan, Distt-Bundi Rajasthan DGET-6/20/191/2008-TC	Mechanic Diesel Electrician	Addl. One Unit(2 nd Unit) 2 nd Unit(2 nd Unit)	Addl. One Unit(2 nd Unit) 2 nd Unit(2 nd Unit)	Addl. One Unit(2 nd Unit) Total 2(1+1) Addl. One Unit(2 nd Unit) Total 2(1+1)	Addl. One Unit(2 nd Unit) Total 2(1+1) Addl. One Unit(2 nd Unit) Total 2(1+1)	DIR-13.3.09 w.e.f Aug09	

STATE: RAJASTHAN



DATED: 24/6/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
5	Shri Rajiv Gandhi ITC, Nadbai Road, Halena, weer, Distt-Bharatpur-321601 Rajasthan DGET-6/20/8/2008-TC	Fitter	2 nd Unit	2 nd Unit	2 nd Unit Total 2(1+1)	2 nd Unit Total 2(1+1)	SCIR-3/8/208 w.e.f Aug08 This supercedes our earlier order dt.20.3.09(Regarding Power proof)
6	Swami Keshvanand ITC,Rajpoot Colony, Laxmangarh Distt-Alwar Pin-321607 Rajasthan DGET-6/20/135/2008-TC	Fitter	Addl.One Unit(2 nd unit)	Addl.One Unit(2 nd unit)	Addl.One Unit Total 2(1+1)	Addl.One Unit Total 2(1+1)	DIR-13/3/09 w.e.f Aug 09
		Electrician	Addl.One Unit(2 nd unit)	Addl,One Unit(2 nd unit)	Addl.One Unit(2 nd unit) Total 2(1+1)	Addl.One Unit(2 nd unit) Total 2(1+1)	
		Mechanic Diesel	Addl.One Unit(2 nd sunit)	Addl.One Unit(2 nd unit)	Addl.One Unit(2 nd unit) Total 2(1+1)	Addl.One Unit(2 nd unit) Total 2(1+1)	
7	J.K Institute of Tech. Kalashnagar Nimbahera Distt-Chittorgarh Pin-312617 Rajasthan DGET-6/20/2/1995-TC	Fitter	Addl. One Unit 2 nd	Addl. One Unit 2 nd	Addl. One Unit 2 nd Total 2(1+1)	Addl. One Unit 2 nd Total 2(1+1)	DIR-13/3/2009 w.e.f Aug 09
		Information & Tech. Electronic System Maintenance	Addl. One Unit 2 nd	Addl. One Unit 2 nd	Addl. One Unit 2 nd Total 2(1+1)	Addl. One Unit 2 nd Total 2(1+1)	

STATE: RAJASTHAN



DATED: 24/6/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
8 Sarvesh ITC, Moonpur, Rajgarh, Dist-Alwar- 301408 DGET-6/20/133/2007- TC	Fitter	Addl. One Unit Total 4(2+2)	—	Addl. One Unit Total 4(2+2)	Addl. One Unit Total 4(2+2)	DIR-12/5/2009 w.e.f Aug 09	
9 Vivekanand ITC Vivekanand Colony, Dausa-303303(New) DGET-6/20/8/2009-TC	Mechanic Diesel Electrician	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-27/3/2009 w.e.f Aug 09	
10 Shri Girraj ITC, Nagar Road, Deeg Dist.Bharatpur-321006 DGET-6/20/41/2008-TC	Electrician Fitter	Addl.One Unit Total 2(1+1) Addl.One Unit Total 2(1+1)	— —	Addl.One Unit Total 2(1+1) Addl.One Unit Total 2(1+1)	Addl.One Unit Total 2(1+1) Addl.One Unit Total 2(1+1)	DIR-15/5/2009 w.e.f Aug 09	
11 Sushila Devi ITC, Nagar Road, Near B.S.N.L. Building, DEEG Dist. Bharatpur 321203 DGET-6/20/39/2007-TC	Electrician	Addl. One Unit	—	Addl. One Unit Total 4(2+2)	Addl. One Unit Total 4(2+2)	DIR-25/4/2009 w.e.f Aug 09	
12 Shri Anand ITC,Dhakad Dharamshala Ke Samne. Kachahari Road, Hindauncity, Dist. Karauli-32230 DGET-6/20/20/2008-TC	Fitter	Addl.One Unit	—	Addl.One Unit Total 2(1+1)	Addl.One Unit Total 2(1+1)	DIR-13/5/2009 w.e.f Aug 09	

STATE: RAJASTHAN



DATED: 24/6/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
13 Vijay ITC, Ward No. 12, Maharna pratap Colony, Bandikui, Dist. Dausa DGET-6/20/115/2008-TC	Mechanic Diesel	Addl.One Unit Total 2(1+1)	—	Addl.One Unit Total 2(1+1)	Addl.One Unit Total 2(1+1)	DIR-16/5/2009 w.e.f Aug 09	
	Fitter	Addl.One Unit Total 2(1+1)	--	Addl.One Unit Total 2(1+1)	Addl.One Unit Total 2(1+1)		
14 Mohammedi ITC, Old Post Office Road Kota-324002 DGET-6/20/89/2008-TC	COPA	01 Addl.Unit (IInd Unit)	—	01 Addl.Unit (IInd Unit) Total 2(1+1)	01 Addl.Unit (IInd Unit) Total 2(1+1)	DIR-11/5/2009 w.e.f Aug 09	
15 Govt.ITI, Balesar, Dist. Jodhpur-342022 (Rajasthan) DGET-6/20/171/2007-TC	Fitter	Addl.One Unit 2 nd shift	—	Addl.One Unit 2 nd shift Total 2(1+1)	Addl.One Unit 2 nd shift Total 2(1+1)	DIR-15/4/2009 w.e.f Aug 09	
16 Shri Sai ITC, Tijara, Dist. Alwar (Rajasthan) Near Bus Depot Pin-301411 DGET-6/20/78/2007-TC	Fitter	Addl.One Unit 4 th Unit	—	Addl.One Unit 4 th Unit Total 4(2+2)	Addl.One Unit 4 th Unit Total 4(2+2)	DIR-12/5/2009 w.e.f Aug 09	
17 Krishna ITC, Pradhan Nagar, Near Veer Sawarkar Public School, Somnath Nagar, Dausa-303303 DGET-6/20/35/2008-TC	Electrician	Addl.One Unit (2 nd shift)	—	Addl.One Unit (2 nd shift) Total 2(1+1)	Addl.One Unit (2 nd shift) Total 2(1+1)	DIR-16/5/2009 w.e.f Aug 09	
	Mechanic Diesel	Addl.One Unit (2 nd shift)	—	Addl.One Unit (2 nd shift) Total 2(1+1)	Addl.One Unit (2 nd shift) Total 2(1+1)		

STATE: RAJASTHAN



DATED: 24/6/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
18	Shiv ITC, Nearest Mahila Hostel, Udaipur Road Balaji Dist. Dausa 321610 DGET-6/20/105/2008-TC	Electrician Fitter	Addl.One Unit Addl.One Unit	– –	Addl.One Unit Total 2(1+1) Addl.One Unit Total 2(1+1)	Addl.One Unit Total 2(1+1) Addl.One Unit Total 2(1+1)	DIR-11/5/2009 w.e.f Aug 09
19	Govt. Mahila ITI, Banipark Jaipur 302016 Rajasthan -302016 DGET-6/17/1/86-TC	Secretarial practice	Addl.One Unit	–	Addl.One Unit Total 2(1+1)	Addl.One Unit Total 2(1+1)	DIR-29/4/2009 w.e.f Aug 09
20	Shekhawati ITC, Dundlod, The. Nawalgarh, Dist. Jhunjhunu-333702 DGET-6/20/145/2007-TC	Fitter Electrician Mechanic Diesel Mech. Computer Hardware	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1)* 2(1+1)* 2(1+1)* 2(1+1)*	SCIR-25/3/2009 w.e.f Aug 09 *This order supercedes order dt. 8/1/2008 for above state trades only.
21	Jahnavi ITC, Benar Railway Station, Plot No.A-59, Poducherry.Jhotwara. Jaipur: 302012 DGET-6/20/183/2008-TC	Fitter	Addl.One Unit	–	Addl One Unit Total2(1+1))	Addl One Unit Total2(1+1)	DIR-11/5/2009 w.e.f Aug 09
22	Shri Dev ITC, Bharatpur Road, Nadbai Dist. Bharatpur 321602 Rajasthan DGET-6/20/141/2007-TC	Electrician	Addl.One Unit	–	Addl.One Unit Total 2(1+1)	Addl.One Unit Total 2(1+1)	DIR- 14/7/2008 w.e.f Aug 08 This supercedes the earlier order 20/3/2009 as proof of Instructor has been sent by S/D.

STATE: RAJASTHAN



DATED: 24/6/2009

<i>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)</i>							
Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instt.	Std. Comm.	DGET			
23 Hazarat Umar Bin Khattab ITC, NH-11, Near Sabalpura, Fatehpur Road, Sikar-332001 Rajshtan DGET-6/20/13/2005-TC	Arch. Asst.	Addl. One	-	Addl. One Total 2(1+1)	Addl. One Total 2(1+1)	DIR-16-12-2008 w.e.f Feb-09	