



STATE: Rajasthan

DATED: 26/8/2010

**Draft**

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instt.	Std. Comm.	DGET			
1. Nursing ITC, College Road, Opp. Vanita Motors, Gangapurcity Dist. Sawai Madhopur Rajasthan  DGET-6/20/35/2010-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-11/6/2010 w.e.f. Aug 2010	
2. Chhatrapati Shivaji ITC, Rawatbhata Road, Shivpura, Dist. Kota Rajasthan  DGET-6/20/36/2010-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-7/6/2010 w.e.f. Aug 2010	
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
3. Shekhawati ITC, Khasra No. 944-45, Add. Ward No. 42, Navalgarh Road, Dist. Sikar Rajasthan  DGET-6/20/38/2010-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-10/6/2010 w.e.f. Aug 2010	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Health sanitary Inspector	2(1+1)	NR	NC	NC		
	Insurance Agent	2(1+1)	NR	NC	NC		
4. MAPS ITC, Alwar Near Jhankar Hotel, Delhi Road, Dist. Alwar Rajasthan  DGET-6/20/34/2010-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-7/6/2010 w.e.f. Aug 2010	
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Mech. Diesel	2(1+1)	NR	NC	NC		
	Fitter	2(1+1)	NR	NC	NC		

-1-

**Note:-** This is draft copy of order only. Final order will be issued later on. However hard copy of final order duly signed should be treated as authenticated.



STATE: Rajasthan

DATED: 26/8/2010

## Draft

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instd.	Std. Comm.	DGET			
5. Ch. Ishar Ram Jakhar ITC, D-40, RIICO Area, Sadulpur Dist. Churu Rajasthan  DGET-6/20/186/2008-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-8/6/2010 w.e.f. Aug 2010	
6. Arihant TIC, Arihant Campus, Ujjwal Vihar, Borkhera, Baran Road, Dist Kota Rajasthan  DGET-6/20/37/2010-TC (New Pvt.)	Electrician	8(4+4)	8(4+4)	8(4+4)	8(4+4)	SCIR-10/6/2010 w.e.f. Aug 2010	
	Insurance Agent	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Domestic House Keeping	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Library & Information Science	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
7. Bhartiya Navjeevan ITC, 218, Ganesh Nagar-16, Siwaramod, Bindayaka, Dist. Jaipur Rajasthan  DGET-6/20/63/2007-TC	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-9/6/2010 w.e.f. Aug 2010	

-2-

**Note:-** This is draft copy of order only. Final order will be issued later on. However hard copy of final order duly signed should be treated as authenticated.



STATE: Rajasthan

DATED: 26/8/2010

## Draft

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instd.	Std. Comm.	DGET			
8. Shri Giriraj ITC Ondela Road, Dist. Dholpur Rajasthan  DGET- 6/20/113/2007-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-9/6/2010 w.e.f. Aug 2010 *S/D to ensure joining of instructors before the commencement of session and to forward the copy of joining report to DGET.	
9. Archarya Shri Nanesh ITC, Nanesh Nagar (Danta) Teh. Kapasan Dist. Chittoragarh Pin- 312204 Rajasthan  DGET- 6/20/178/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-7/6/2010 w.e.f. Aug 2010	
10. Govt. ITI, Bhawani Maudi, Distt. Jhalawar Rajasthan  DGET-6/20/10/2002- TC	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-12/6/2010 w.e.f. Aug 2010	
11. Rajasthan ITC, Village Amarsar Dist. Jaipur Pin- 303601 Rajasthan  DGET- 6/20/120/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-7/6/2010 w.e.f. Aug 2010	

-3-

**Note:-** This is draft copy of order only. Final order will be issued later on. However hard copy of final order duly signed should be treated as authenticated.



STATE: Rajasthan

DATED: 26/8/2010

## Draft

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instd.	Std. Comm.	DGET			
12	Sarswati ITC, Aniruddha Nagar Dist. Bharatpur Pin- 321001 Rajasthan  DGET- 6/20/124/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	*	*	SCIR-10/6/2010 *the meter sealing report shows 6kw load connection whereas in Electrical bill, 15kw is indicated. S/D to clarify.
13	Basant ITC, Infront of 220Kv Gass, N.H. 8 Putli Kotputli Dist. Jaipur Rajasthan  DGET- 6/20/169/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 6(3+3)	Addl. 2(1+1) Total 6(3+3)	SCIR-9/6/2010 w.e.f. Aug 2010
14	Shree Balaji ITC, Delhi Road, Sardar Sohar Dist. Churu Pin- 331403 Rajasthan  DGET- 6/20/107/2009-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-8/6/2010 w.e.f. Aug 2010
15	Shri Surajmal Taparia ITC, Jaswantgarh, Dist Jaipur Rajasthan  DGET-6/20/4/98-TC	Mechanic Diesel	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 5(2+2+1)	Addl. 2(1+1) Total 5(2+2+1)	SCIR-11/6/2010 w.e.f. Aug 2010

-4-

**Note:-** This is draft copy of order only. Final order will be issued later on. However hard copy of final order duly signed should be treated as authenticated.



STATE: Rajasthan

DATED: 26/8/2010

**Draft**

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instt.	Std. Comm.	DGET			
16. Govt. Mahila ITI, Banipark Dist. Jaipur Rajasthan  DGET-6/17/1/86-TC	Event Management Assistant	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-8/6/2010 w.e.f. Aug 2010	
	Fashion Technology	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Interior Decoration & Designing	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Institution House Keeping	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
17. Jawahar Lal Nehru ITC, Jolapa Road, Teh. Sangod Dist. Kota Pin- 325601 Rajasthan  DGET-6/20/164/2009-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-4/6/2010 w.e.f. Aug 2010	
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
18. Aadarsh ITC, Khasra No. 482, Vill & Post. Haripura, Panchayat Samitee, Osian, Dist. Jodhpur Pin- 342303 Rajasthan  DGET-6/20/161/2007-TC	Electrician	2(1+1)	2(1+1)	*	*	SCIR-11/6/2010 *(i) Electric bill address is still of old location. Please submit recent bill having the address of new location. (ii) Purchase bills of items are required trade wise.	
	Fitter	One Unit	One Unit	*	*		
	Mech. Diesel	2(1+1)	2(1+1)	*	*		
	COPA	One Unit	One Unit	*	*		
	Electrician	2(1+1)	2(1+1)	*	*		
Wireman	2(1+1)	One Unit	*	*			

-5-

**Note:-** This is draft copy of order only. Final order will be issued later on. However hard copy of final order duly signed should be treated as authenticated.



STATE: Rajasthan

DATED: 26/8/2010

**Draft**

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instd.	Std. Comm.	DGET			
19. Shivokar Maheshwari Technical Institute, Jhunjhunu Road, Dist. Bagar Rajasthan  DGET-6/20/18/2004-TC	Fitter	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 5(2+2+1)	Addl. 2(1+1) Total 5(2+2+1)	SCIR-11/6/2010 w.e.f. Aug 2010	
20. Saraswati ITC, Jaipur Road, Malpura Dist. Tonk Pin- 304502 Rajasthan  DGET-6/20/110/2009-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-11/6/2010 w.e.f. Aug 2010	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
21. Govt. ITI, NTPC Road, Anta, Dist. Baran Rajasthan  DGET-6/20/20/2002-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-4/6/2010 w.e.f. Aug 2010	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
22. Govt. ITI, Gangapur, Dist. Bhilwara Rajasthan  DGET-6/20/11/97-TC	Cutting & Sewing	2(1+1)	2(1+1)	2(1+1)*	2(1+1)*	SCIR-11/6/2010 w.e.f. Aug 2010 *S/D may ensure joining of instructor Mrs. Dropada Bahati, Before start of session.	
23. Govt. ITI, Suratgarh Road, Dist. Hanumangarh Rajasthan  DGET-6/20/2/95-TC	Mech. Computer Hardware	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-7/6/2010 w.e.f. Aug 2010 *Bills for purchase of items are required for	
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		

-6-

**Note:-** This is draft copy of order only. Final order will be issued later on. However hard copy of final order duly signed should be treated as authenticated.

STATE: Rajasthan



DATED: 26/8/2010

## Draft

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instt.	Std. Comm.	DGET			
	Hair & Skin Care	2(1+1)	2(1+1)	2(1+1)	2(1+1)	Mech. Diesel trade.	
	Mech. Diesel	2(1+1)	2(1+1)	*	*		
	Mech. RAC	2(1+1)	NR	NC	NC		
24	Govt. ITI, For Women Dist. Udaipur Rajasthan  DGET-6/20/5/92-TC	COPA	2(1+1)	2(1+1)	*Rejected	*Rejected	SCIR-12/6/2010 *Rejected because of two inspection is same session.
	Event Management	2(1+1)	2(1+1)	*Rejected	*Rejected		
	Fashion Technology	2(1+1)	2(1+1)	*Rejected	*Rejected		
	Hair & Skin Care	2(1+1)	2(1+1)	*Rejected	*Rejected		
	Interior Decoration & Designing	2(1+1)	2(1+1)	*Rejected	*Rejected		
25	Govt. ITI, Machkund Road Dist Dholpur Rajasthan  DGET-6/17/2/85-TC	Surveyor	2(1+1)	2(1+1)	*	*	SCIR-9/6/2010 *(i) Bil for purchase of tools & Equipment are required. (ii) Technical qualifications of trade instructor Sh. Ashok Gupta and K.M Sharma re also required.
	Architecture Assistants	2(1+1)	2(1+1)	*	*		
	Welder (G &E)	2(1+1)	2(1+1)	*	*		

-7-

**Note:-** This is draft copy of order only. Final order will be issued later on. However hard copy of final order duly signed should be treated as authenticated.

STATE: Rajasthan



DATED: 26/8/2010

**Draft**

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
26	Bagria ITC, RIICO Fatehpur Shekhawati, Dist-Sikar Rajasthan  DGET- 6/20/180/2008-TC	Electrician  Mech. RAC	Adtl. 2(1+1)  2(1+1)	Adtl. 2(1+1)  2(1+1)	Adtl. 2(1+1) Total 4(2+2)  2(1+1)	Adtl. 2(1+1) Total 4(2+2)  2(1+1)	SCIR-18/5/2010 SIR-20/8/2010 w.e.f Aug 2010 This clear case kept pending in the meeting held on 15.7.2010

**Note:-** This is draft copy of order only. Final order will be issued later on. However hard copy of final order duly signed should be treated as authenticated.