

STATE: Rajasthan



DATED: 28/1/2010

| <b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b> |                      |   |            |        |                                   |                                |  |
|--|----------------------|---|------------|--------|-----------------------------------|--------------------------------|--|
| Name, Address & File No. of Institute for ref. & Future correspondence draft   | Trade                | Units for which affiliation sought / recommended by |            |        | Approval by Sub-Committee of NCVT | Remarks                        |  |
|  |                      | Instt.  | Std. Comm. | DGET   |                                   |                                |  |
| 1. Ganga Devi IT,C Village Nangal Sunsavatan post Ajmer Dist. Jaipur Rajasthan<br><br>DGET-6/20/1/2010-TC (New Pvt.)   | Electrician          | 4(2+2)  | 4(2+2)     | 4(2+2) | 4(2+2)                            | SCIR-12/11/2009 w.e.f.Feb 2010 |  |
|  | Mech. Diesel         | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                |  |
|  | Steno (Hindi)        | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                |  |
|  | COPA                 | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                |  |
| 2. Govt. ITI, Chechi Road, Begun Dist. Chittorgarh Pin- 312023 Rajasthan<br><br>DGET-6/20/3/2010 (New Govt.)   | Fitter               | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            | SCIR-19/11/2009 w.e.f.Feb 2010 |  |
|  | Electrician          | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                |  |
|  | MRAC                 | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                |  |
|  | COPA                 | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                |  |
| 3. Global ITC, Tikarijagran Post Salampur, Teh. Mahawa Dist. Dausa Rajasthan<br><br>DGET-6/20/7/2010-TC (New Pvt.)   | Fitter               | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            | SCIR-14/11/2009 w.e.f.Feb 2010 |  |
|  | Electrician          | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                |  |
|  | MRAC                 | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                |  |
|  | Welder (G&E)         | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                |  |
| 4. India International ITC, Khandelwal Bhawani Mandi Dist. Jhalawar Rajasthan<br><br>DGET-6/20/2/2010-TC (New Pvt.)  | Electrician          | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            | SCIR-6/11/2009 w.e.f.Feb 2010  |  |
|  | COPA                 | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                |  |
| 5. Govt. ITI, Arnod, Behind police Station Arnod, Dist. Pratapgarh Pin- 312023 Rajasthan<br><br>DGET-6/20/6/2010-TC (New Govt.)  | Electrician          | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            | SCIR-18/11/2009 w.e.f.Feb 2010 |  |
|  | Electronics Mechanic | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                |  |



**STATE: Rajasthan**

**DATED: 28/1/2010**

| <b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b> |               |   |            |        |                                   |                                   |  |
|--|---------------|---|------------|--------|-----------------------------------|-----------------------------------|--|
| Name, Address & File No. of Institute for ref. & Future correspondence draft   | Trade         | Units for which affiliation sought / recommended by |            |        | Approval by Sub-Committee of NCVT | Remarks                           |  |
|  |               | Instt.  | Std. Comm. | DGET   |                                   |                                   |  |
| 6. Mahatma Gandhi ITC, Badiyal Road, Bandikui, Dist. Dausa Rajasthan<br><br>DGET-6/20/4/2010-TC (New Pvt.)   | Fitter        | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            | SCIR-13/11/2009<br>w.e.f.Feb 2010 |  |
|  | Electrician   | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                   |  |
|  | Mech. Diesel  | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                   |  |
|  | COPA          | 2(1+1)  | NR         | NC     | NC                                |                                   |  |
| 7. Hasan Khan Mewati ITC, 14,15,16, Azad Nagar, 60 Foot Road, Chand Masjid KePass Dist. Alwar Rajasthan<br><br>DGET-6/20/5/2010-TC (New Pvt.)  | Electrician   | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            | SCIR-31/10/2009<br>w.e.f.Feb 2010 |  |
|  | Fitter        | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                   |  |
|  | Mech. Diesel  | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                   |  |
|  | IT&ESM        | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                   |  |
| 8. Arju ITC, Old Road, dhuleshwar Colony, Manoharpur Dist. Jaipur Rajasthan<br><br>DGET-6/20/11/2010-TC (New Pvt.)   | Electrician   | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            | SCIR-14/11/2009<br>w.e.f.Feb 2010 |  |
|  | Fitter        | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                   |  |
|  | COPA          | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                   |  |
|  | Wireman       | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                   |  |
| 9. Rajrishi IT,C Infront of Paper Meel, Kathoomar Road, Kherli Dist. Alwar Rajasthan<br><br>DGET-6/20/16/2010-TC (New Pvt.)  | Electrician   | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            | SCIR-30/10/2009<br>w.e.f.Feb 2010 |  |
|  | Fitter        | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                   |  |
|  | COPA          | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                   |  |
|  | Steno (Hindi) | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                   |  |
| 10. Vishvakarma ITC, 70-72/C, Kusum Vihar, Jagatpura Dist. Jaipur Rajasthan<br><br>DGET-6/20/14/2010-TC (New Pvt.)   | Electrician   | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            | SCIR-13/11/2009<br>w.e.f.Feb 2010 |  |
|  | Fitter        | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                   |  |
|  | Dress Making  | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                   |  |
|  | COPA          | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                   |  |



**STATE: Rajasthan**

**DATED: 28/1/2010**

| <b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b> |  |   |            |        |                                   |                                 |  |
|--|--|---|------------|--------|-----------------------------------|---------------------------------|--|
| Name, Address & File No. of Institute for ref. & Future correspondence draft   | Trade  | Units for which affiliation sought / recommended by |            |        | Approval by Sub-Committee of NCVT | Remarks                         |  |
|  |  | Instit.   | Std. Comm. | DGET   |                                   |                                 |  |
| 11. Shree L.R. Memorial IT,C Ward No. 17, Mandaw, Dist. Jhunjhunu Pin- 333704 Rajasthan<br><br>DGET-6/20/13/2010-TC (New Pvt.)   | Fitter                                       | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            | SCIR-10/11/2009 w.e.f.Feb 2010  |  |
|  | Electrician                                  | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                 |  |
|  | Draughtsman Civil                            | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                 |  |
|  | Insurance Agent                              | 2(1+1)  | NR         | NC     | NC                                |                                 |  |
| 12. Vishvakarma Kaushal ITC, Barlut, Dist. Sirohi Rajasthan<br><br>DGET-6/20/12/2010-TC New Pvt.   | Electrician                                  | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            | SCIR-23/10/2009 w.e.f. Feb 2010 |  |
|  | Fitter                                       | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                 |  |
|  | Mech. Diesel                                 | 2(1+1)  | NR         | NC     | NC                                |                                 |  |
| 13. Indira Gandhi ITC, Vill. Gunavta, Teh. Amer Dist. Jaipur Rajasthan<br><br>DGET-6/20/15/2010-TC (New Pvt.)  | Electrician                                  | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            | SCIR-25/11/2009 w.e.f.Feb 2010  |  |
|  | Fitter                                       | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                 |  |
|  | Health sanitary Inspector                    | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                 |  |
|  | Pre/Preparation School Management Assistant. | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                 |  |
| 14. S.D.S. ITC, Near N.H. - 8, Pathere Road, Patheri (Kotputli), Dist. Jaipur Pin- 303107 Rajasthan<br><br>DGET-6/20/20/2010-TC (New Pvt.)   | Electrician                                  | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            | SCIR-12/11/2009 w.e.f.Feb 2010  |  |
|  | Fitter                                       | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                 |  |
|  | Mech. Diesel                                 | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                 |  |
|  | COPA   | 2(1+1)  | 2(1+1)     | 2(1+1) | 2(1+1)                            |                                 |  |

STATE: Rajasthan



DATED: 28/1/2010

| <b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b> |                          |   |              |                                  |                                   |   |  |
|--|--------------------------|---|--------------|----------------------------------|-----------------------------------|---|--|
| Name, Address & File No. of Institute for ref. & Future correspondence draft   | Trade                    | Units for which affiliation sought / recommended by |              |                                  | Approval by Sub-Committee of NCVT | Remarks   |  |
|  |                          | Instt.  | Std. Comm.   | DGET                             |                                   |   |  |
| 15. Prince ITC, Village Shyopura, Post Ojatoo, Via- chirawa Dist. Jhunjhunu Pin- 333026 Rajasthan<br><br>DGET-6/20/21/2010-TC (New Pvt.)   | Electrician              | 2(1+1)  | 2(1+1)       | 2(1+1)                           | 2(1+1)                            | SCIR-10/11/2009 w.e.f.Feb 2010  |  |
|  | Fitter                   | 2(1+1)  | 2(1+1)       | 2(1+1)                           | 2(1+1)                            |   |  |
|  | Mech. Diesel             | 2(1+1)  | 2(1+1)       | 2(1+1)                           | 2(1+1)                            |   |  |
|  | Electronics Mechanic     | 2(1+1)  | 2(1+1)       | 2(1+1)                           | 2(1+1)                            |   |  |
| 16. Saraswati ITC, E-352 A MIA F Road, Dist. Udaipur Pin- 313003 Rajasthan<br><br>DGET-6/20/9/2010-TC (New Pvt.)   | Electrician              | 2(1+1)  | 2(1+1)       | 2(1+1)                           | 2(1+1)                            | SCIR-19/11/2009 w.e.f.Feb 2010<br>*Trade instructors are not qualified as per NCVT norms. Trade instructors are having qualification in fitter trade while trade is Sanitary Hardware Fitter. |  |
|  | Sanitary Hardware Fitter | 2(1+1)  | 2(1+1)       | *Rejected                        | *Rejected                         |   |  |
| 17. Maa Sanja Devi ITC, Bharatpur Road, Bidyari Teh. Bayana Dist. Bharatpur Pin-321401 Rajasthan<br><br>DGET-6/20/112/2008-TC  | Electrician              | Addl. 2(1+1)  | Addl. 2(1+1) | Addl. 2(1+1)<br>Total<br>4(2+2)* | Addl. 2(1+1)<br>Total<br>4(2+2)*  | SCIR-20/11/2009 w.e.f.Feb 2010<br>*S/D may please ensure that instructors have joined the duty before admission of trainees& send the joining report & other documents of instructors.        |  |
| 18. Rao ITC, Malakhera Teh. Malakhera Dist. Alwar Pin- 301408 Rajasthan<br><br>DGET-6/20/22/2010-TC (New Pvt.)   | Electrician              | 2(1+1)  | 2(1+1)       | 2(1+1)                           | 2(1+1)                            | SCIR-28/10/2010 w.e.f.Feb 2010  |  |
|  | Fitter                   | 2(1+1)  | 2(1+1)       | 2(1+1)                           | 2(1+1)                            |   |  |
|  | Mech. Diesel             | 2(1+1)  | 2(1+1)       | 2(1+1)                           | 2(1+1)                            |   |  |
|  | COPA                     | 2(1+1)  | 2(1+1)       | 2(1+1)                           | 2(1+1)                            |   |  |

STATE: Rajasthan



DATED: 28/1/2010

| <b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b> |                              |   |            |         |                                   |  |  |
|--|------------------------------|---|------------|---------|-----------------------------------|--|--|
| Name, Address & File No. of Institute for ref. & Future correspondence draft   | Trade                        | Units for which affiliation sought / recommended by |            |         | Approval by Sub-Committee of NCVT | Remarks  |  |
|  |                              | Instt.  | Std. Comm. | DGET    |                                   |  |  |
| 19. Oras ITC, Post. Khajroli Teh. COMU, Dist. Jaipur Pin- 303803 Rajasthan<br><br>DGET-6/20/23/2010-TC (New Pvt.)  | Electrician                  | 2(1+1)  | 2(1+1)     | 2(1+1)* | 2(1+1)*                           | SCIR-24/11/2009 w.e.f.Feb 2010<br>*S/D may please ensure that instructors have joined duty before the admission of trainees and send the joining report & bio-data of instructors. |  |
|  | Fitter                       | 2(1+1)  | 2(1+1)     | 2(1+1)* | 2(1+1)*                           |  |  |
|  | Mech. Diesel                 | 2(1+1)  | 2(1+1)     | 2(1+1)* | 2(1+1)*                           |  |  |
|  | COPA                         | 2(1+1)  | 2(1+1)     | 2(1+1)* | 2(1+1)*                           |  |  |
| 20. Nirmala Devi ITC, Ward No. 2, Village & Post Sirsi Dist. Jaipur Pin- 302012 Rajasthan<br><br>DGET-6/20/10/2010-TC (New Pvt.)   | Electrician                  | 2(1+1)  | 2(1+1)     | 2(1+1)* | 2(1+1)*                           | SCIR-19/11/2009 w.e.f.Feb 2010<br>*S/D may please ensure that instructors have joined duty before the admission of trainees and send the joining report & bio-data of instructors. |  |
|  | Mech. Diesel                 | 2(1+1)  | 2(1+1)     | 2(1+1)* | 2(1+1)*                           |  |  |
|  | Corporate House Keeping      | 2(1+1)  | 2(1+1)     | 2(1+1)* | 2(1+1)*                           |  |  |
|  | COPA                         | 2(1+1)  | NR         | NC      | NC                                |  |  |
| 21. Shri Radha Kripa ITC, Purani Abadi Sethi Dist.Chittorgarh Pin- 312001 Rajasthan<br><br>DGET-6/20/18/2010-TC (New Pvt.)   | Electrician                  | 4(2+2)  | 4(2+2)     | 4(2+2)  | 4(2+2)                            | SCIR-18/11/2009 w.e.f.Feb 2010   |  |
|  | Mechanic Diesel              | 2(1+1)  | NR         | NC      | NC                                |  |  |
| 22. Netaji Subhash Chander Bosh ITC, Post. Tunga, Tehsil Bassi, Dist. Jaipur Rajasthan<br><br>DGET-6/20/19/2010-TC (New Pvt.)  | Electrician                  | 4(2+2)  | 4(2+2)     | 4(2+2)  | 4(2+2)                            | SCIR-11/11/2009 w.e.f.Feb 2010   |  |
|  | Mech. Diesel                 | 2(1+1)  | 2(1+1)     | 2(1+1)  | 2(1+1)                            |  |  |
|  | Library & Sci. Info. Science | 2(1+1)  | NR         | NC      | NC                                |  |  |
|  | Health sanitary Inspector    | 2(1+1)  | NR         | NC      | NC                                |  |  |

STATE: Rajasthan



DATED: 28/1/2010

| <b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b> |                     |   |              |                              |                                   |  |  |
|--|---------------------|---|--------------|------------------------------|-----------------------------------|--|--|
| Name, Address & File No. of Institute for ref. & Future correspondence draft   | Trade               | Units for which affiliation sought / recommended by |              |                              | Approval by Sub-Committee of NCVT | Remarks  |  |
|  |                     | Instt.  | Std. Comm.   | DGET                         |                                   |  |  |
| 23. Y.S Halwan ITC, F-67, Industrial Area, Rayla Road, Pilani Dist. Jhunjhunu Pin- 333031 Rajasthan<br><br>DGET-6/20/8/2010-TC (New Pvt.)  | Mech. Diesel        | 2(1+1)  | 2(1+1)       | 2(1+1)                       | 2(1+1)                            | SCIR-26/11/2009 w.e.f.Feb 2010   |  |
|  | Welder G&E          | 2(1+1)  | 2(1+1)       | 2(1+1)                       | 2(1+1)                            |  |  |
|  | Draughtsman Civil   | 2(1+1)  | 2(1+1)       | 2(1+1)                       | 2(1+1)                            |  |  |
|  | Fitter              | 2(1+1)  | 2(1+1)       | 2(1+1)                       | 2(1+1)                            |  |  |
|  | Electrician         | 2(1+1)  | 2(1+1)       | 2(1+1)                       | 2(1+1)                            |  |  |
|  | COPA                | 2(1+1)  | 2(1+1)       | 2(1+1)                       | 2(1+1)                            |  |  |
| 24. U.B.M ITC, Village Manda, Teh. Mundawar Dist. Alwar Rajasthan<br><br>DGET-6/20/17/2010-TC (New Pvt.)   | Electrician         | 2(1+1)  | 2(1+1)       | 2(1+1)                       | 2(1+1)                            | SCIR-31/10/2009 w.e.f.Feb 2010   |  |
|  | Fitter              | 2(1+1)  | 2(1+1)       | 2(1+1)                       | 2(1+1)                            |  |  |
|  | COPA                | 2(1+1)  | 2(1+1)       | 2(1+1)                       | 2(1+1)                            |  |  |
|  | Insurance Agent     | 2(1+1)  | NR           | NC                           | NC                                |  |  |
| 25. Regional ITC, Kathumar Road, Kherli Dist. Alwar Pin- 321606 Rajasthan<br><br>DGET-6/20/6/2007-TC   | Fitter              | 2(1+1)  | 2(1+1)       | 2(1+1)                       | 2(1+1)                            | SCIR-29/10/2009 w.e.f.Feb 2010   |  |
|  | Electrician         | Addl. 2(1+1)  | Addl. 2(1+1) | Addl. 2(1+1)<br>Total 4(2+2) | Addl. 2(1+1)<br>Total 4(2+2)      |  |  |
| <b>This is a shifting case. Affiliation of all Trades withdrawn from old Location.</b>   |                     |   |              |                              |                                   |  |  |
| 26. Balaji ITC, V.P. Ranoli Dist. Sikar Pin- 332403 Rajasthan<br><br>DGET-6/20/24/2010-TC (New Pvt.)   | Mech. Diesel        | 2(1+1)  | 2(1+1)       | 2(1+1)*                      | 2(1+1)*                           | SCIR-26/11/2009 w.e.f.Feb 2010<br>*S/D is requested to ensure joining of instructors before giving affiliation order & send joining report of instructors. |  |
|  | Electrician         | 2(1+1)  | 2(1+1)       | 2(1+1)*                      | 2(1+1)*                           |  |  |
|  | Fitter              | 2(1+1)  | NR           | NC                           | NC                                |  |  |
|  | Stenography (Hindi) | 2(1+1)  | NR           | NC                           | NC                                |  |  |



STATE: Rajasthan

DATED: 28/1/2010

| <b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b> |              |   |              |                                  |                                   |   |  |
|--|--------------|---|--------------|----------------------------------|-----------------------------------|---|--|
| Name, Address & File No. of Institute for ref. & Future correspondence draft   | Trade        | Units for which affiliation sought / recommended by |              |                                  | Approval by Sub-Committee of NCVT | Remarks   |  |
|  |              | Instt.  | Std. Comm.   | DGET                             |                                   |   |  |
| 27. Shree Ram ITC,<br>Nawalgarh Road, Beri<br>Dist. Sikar<br>Rajasthan<br><br>DGET-6/20/147/2009-TC  | Electrician  | 2(1+1)  | 2(1+1)       | 2(1+1)*                          | 2(1+1)*                           | SCIR-25/9/2009<br>w.e.f.Feb 2010<br>*This clears case kept pending in meeting held on 27.11.2009.   |  |
|  | Mech. Diesel | 2(1+1)  | 2(1+1)       | 2(1+1)*                          | 2(1+1)*                           |   |  |
|  | Fitter       | 2(1+1)  | 2(1+1)       | 2(1+1)*                          | 2(1+1)*                           |   |  |
|  | COPA         | 2(1+1)  | 2(1+1)       | 2(1+1)*                          | 2(1+1)*                           |   |  |
| 28. Sarvash ITC, Moonpur,<br>Rajgarh<br>Dist. Alwar<br>Pin- 301408<br>Rajasthan<br><br>DGET-6/20/133/2007-TC   | Electrician  | Adtl. 5(2+3)  | Adtl. 5(2+3) | Adtl. 5(2+3)<br>Total<br>8(4+4)* | Adtl. 5(2+3)<br>Total<br>8(4+4)*  | SCIR-30/10/2009<br>w.e.f.Feb 2010<br>*S/D may please ensure that additional Five instructors will have joined duty before the admission of trainees. S/D is requested to send the joining report & bio-data of instructors. |  |
| 29. Maharaja Agarsen ITC,<br>Indira Circle, Suratgarh<br>Dist. Sriganganagar<br>Pin- 335804<br>Rajasthan<br><br>DGET-6/20/61/2007-TC   | COPA         | 2(1+1)  | 2(1+1)       | 2(1+1)                           | 2(1+1)                            | SCIR-28/11/2009<br>w.e.f.Feb 2010   |  |
| 30. Brajpal ITC, Gram-<br>Rela, Post. Kathumar<br>Dist. Alwar<br>Pin- 321605<br>Rajasthan<br><br>DGET-6/20/35/2006-TC  | Electrician  | 2(1+1)  | 2(1+1)       | 2(1+1)                           | 2(1+1)                            | SCIR-29/10/2009<br>w.e.f.Feb 2010   |  |

STATE: Rajasthan



DATED: 28/1/2010

| <b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b> |             |   |              |                              |                                   |                                   |  |
|--|-------------|---|--------------|------------------------------|-----------------------------------|-----------------------------------|--|
| Name, Address & File No. of Institute for ref. & Future correspondence draft   | Trade       | Units for which affiliation sought / recommended by |              |                              | Approval by Sub-Committee of NCVT | Remarks                           |  |
|  |             | Institt.  | Std. Comm.   | DGET                         |                                   |                                   |  |
| 31. Vaibhav Laxmi ITC, Panchawati Nagar Kunhari Dist. Kota PIN- 324008 Rajasthan<br><br>DGET-6/20/95/2008-TC   | Electrician | Addl. 2(1+1)  | Addl. 2(1+1) | Addl. 2(1+1)<br>Total 4(2+2) | Addl. 2(1+1)<br>Total 4(2+2)      | SCIR-19/11/2009<br>w.e.f.Feb 2010 |  |
| 32. Gulpadiya ITC, Near Bus Rasidpur Police Choki, Mandawar Road, Rasidpur Mahwa Dist. Dausa Rajasthan<br><br>DGET-6/20/53/2006-TC   | Electrician | Addl. 2(1+1)  | Addl. 2(1+1) | Addl. 2(1+1)<br>Total 4(2+2) | Addl. 2(1+1)<br>Total 4(2+2)      | SCIR-12/11/2009<br>w.e.f.Feb 2010 |  |
| 33. Shiv ITC, Kalakakra, Gangapur Road, Lalsot, Dist. Dausa Rajasthan<br><br>DGET-6/20/160/2008-TC   | Electrician | Addl. 2(1+1)  | Addl. 2(1+1) | Addl. 2(1+1)<br>Total 4(2+2) | Addl. 2(1+1)<br>Total 4(2+2)      | SCIR-12/11/2009<br>w.e.f.Feb 2010 |  |
| 34. Govindam ITC, Jaipur Road, Near By Pass, Gangapur City, Dist. Sawai Madhopur Rajasthan<br><br>DGET-6/20/126/2008-TC  | Electrician | Addl. 6(3+3)  | Addl. 6(3+3) | Addl. 6(3+3)<br>Total 8(4+4) | Addl. 6(3+3)<br>Total 8(4+4)      | SCIR-21/11/2009<br>w.e.f.Feb 2010 |  |
| 35. Pushpavati ITC, Jaipura Bandikui Dist. Dausa Rajasthan<br><br>DGET-6/20/147/2007-TC  | Electrician | Addl. 4(2+2)  | Addl. 4(2+2) | Addl. 4(2+2)<br>Total 6(3+3) | Addl. 4(2+2)<br>Total 6(3+3)      | SCIR-12/11/2009<br>w.e.f.Feb 2010 |  |
| 36. Ajmera ITC, Plot No. 6A, Gayatri Nagar Ajmer Road, Sodala Dist. Jaipur Rajasthan<br><br>DGET-6/20/167/2008-TC  | Electrician | 2(1+1)  | 2(1+1)       | 2(1+1)                       | 2(1+1)                            | SCIR-14/11/2009<br>w.e.f.Feb 2010 |  |



STATE: Rajasthan



DATED: 28/1/2010

| <b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b> |                                 |   |                            |  |  |  |  |
|--|---------------------------------|---|----------------------------|--|--|--|--|
| Name, Address & File No. of Institute for ref. & Future correspondence draft   | Trade                           | Units for which affiliation sought / recommended by |                            |  | Approval by Sub-Committee of NCVT              | Remarks  |  |
|  |                                 | Instt.  | Std. Comm.                 | DGET   |  |  |  |
| 37. Indian ITC, Geatealave Road, Dist. Dausa Pin- 303303 Rajasthan<br><br>DGET-6/20/84/2007-TC   | Mech. Diesel<br><br>Electrician | 2(1+1)<br><br>Addl. 4(2+2)                          | 2(1+1)<br><br>Addl. 4(2+2) | 2(1+1)<br><br>Addl. 4(2+2)<br>Total<br>6(3+3)* | 2(1+1)<br><br>Addl. 4(2+2)<br>Total<br>6(3+3)* | SCIR-14/11/2009 w.e.f.Feb 2010<br>*S/D is requested to ensure instructor for Electrician trade should join institute before admission of students. |  |
| <b>*This is shifting case old Electrician trade 2(1+1) units are De-affiliated at old location.</b>  |                                 |   |                            |  |  |  |  |
| 38. S.M.R.T. ITC, Ward No. 40, Near Govt. Goyank Sr. Sec. School, Gashalla Road, Dist. Churu Pin- 331001 Rajasthan<br><br>DGET-6/20/98/2009-TC   | Mechanic Diesel                 | 2(1+1)  | 2(1+1)                     | 2(1+1)   | 2(1+1)   | SCIR-26/11/2009 w.e.f.Feb 2010   |  |
| 39. New Shree Balaji ITC, Plumber-14, Anandpuri Colony Chandni Chowk, Kalwar Road, Jhotwara Dist. Jaipur Rajasthan<br><br>DGET-6/20/142/2008-TC  | Electrician                     | 4(2+2)  | 4(2+2)                     | 4(2+2)   | 4(2+2)   | SCIR-11/11/2009 w.e.f.Feb 2010   |  |
| 40. Maharaja Agarsain ITC, Plot No. 21 Near Shakti Interprasies, Sikrori Bhadra Dist. Hanumangarh Pin- 335501 Rajasthan<br><br>DGET-6/20/55/2008-TC  | Electrician                     | Addl. 2(1+1)  | Addl. 2(1+1)               | Addl. 2(1+1)<br>Total 4(2+2)                   | Addl. 2(1+1)<br>Total 4(2+2)                   | SCIR-27/11/2009 w.e.f.Feb 2010   |  |
| 41. Vinayak ITC, Dadu Nagar, Phulera Dist. Jaipur Pin- 303338 Rajasthan<br><br>DGET-6/20/199/2008-TC   | Electrician                     | Addl. 2(1+1)  | Addl. 2(1+1)               | Addl. 2(1+1)<br>Total 4(2+2)                   | Addl. 2(1+1)<br>Total 4(2+2)                   | SCIR-20/11/2009 w.e.f.Feb 2010   |  |

STATE: Rajasthan



DATED: 28/1/2010

| <b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b> |             |   |              |                              |                                   |  |  |
|--|-------------|---|--------------|------------------------------|-----------------------------------|--|--|
| Name, Address & File No. of Institute for ref. & Future correspondence draft   | Trade       | Units for which affiliation sought / recommended by |              |                              | Approval by Sub-Committee of NCVT | Remarks  |  |
|  |             | Instt.  | Std. Comm.   | DGET                         |                                   |  |  |
| 42. Adarsh ITC, Khatoli Road, VPO Itawa Dist. Kota Pin- 325004 Rajasthan<br><br>DGET-6/20/96/2008-TC   | Electrician | Addl. 2(1+1)  | Addl. 2(1+1) | Addl. 2(1+1)<br>Total 4(2+2) | Addl. 2(1+1)<br>Total 4(2+2)      | SCIR-5/11/2009<br>w.e.f.Feb 2010   |  |
| 43. Danteshwari ITC, New Bus Stand, Sarmathura Teh. Baseri Dist. Dholpur Rajasthan<br><br>DGET-6/20/45/2008-TC   | Electrician | Addl. 2(1+1)  | Addl. 2(1+1) | Addl. 2(1+1)<br>Total 4(2+2) | Addl. 2(1+1)<br>Total 4(2+2)      | SCIR-13/11/2009<br>w.e.f.Feb 2010  |  |
| 44. Shri Krishan ITC, Govindgarh Teh. Chomu Dist. Jaipur Pin- 303712 Rajasthan<br><br>DGET-6/20/68/2008-TC   | Electrician | 2(1+1)  | 2(1+1)       | *                            | *                                 | SCIR-24/11/2009<br>*Electrical Power Supply proof is not showing electrical Power load.<br>S/D is requested to clarify it.                   |  |
| 45. Deep ITC, Diwanji Ka Bag, Rajgarh Dist. Alwar Pin- 301408 Rajasthan<br><br>DGET-6/20/96/2009-TC  | COPA        | 2(1+1)  | 2(1+1)       | *Rejected                    | *Rejected                         | SCIR-27/7/2009<br>*In this case the space area is found to be short. Hence rejected. This closes the case kept pending in meeting 28.8.2009. |  |
| 46. Sarswati ITC, Aniruddha Nagar Dist. Bharatpur Pin- 321001 Rajasthan<br><br>DGET-6/20/124/2008-TC   | Electrician | Addl. 2(1+1)  | Addl. 2(1+1) | *Rejected                    | *Rejected                         | SCIR-20/11/2009<br>*Two inspection for same session SCIR-31.10.2009 decided in the meeting held on 29.12.2009.                               |  |



STATE: Rajasthan

DATED: 28/1/2010

| <b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b> |                          |   |              |                               |                                   |   |  |
|--|--------------------------|---|--------------|-------------------------------|-----------------------------------|---|--|
| Name, Address & File No. of Institute for ref. & Future correspondence draft   | Trade                    | Units for which affiliation sought / recommended by |              |                               | Approval by Sub-Committee of NCVT | Remarks   |  |
|  |                          | Instit.   | Std. Comm.   | DGET                          |                                   |   |  |
| 47. Mohammad Ali Memorial ITC, 19, Amritkaur Hospital Marg, Beawar, Dist. Ajmer Pin- 305901 Rajasthan<br>DGET-6/20/42/2006-TC  | Electrician              | 2(1+1)  | 2(1+1)       | 2(1+1)                        | 2(1+1)                            | SCIR-2/9/2009 w.e.f.Feb 2010  |  |
| 48. Vivekanand ITC, Plot No. 295 Sector -7 Keshavpura Dist. Kota Pin- 3240069 Rajasthan<br>DGET-6/20/39/2009-TC  | Lab. Information Science | 2(1+1)  | 2(1+1)       | 2(1+1)*                       | 2(1+1)*                           | SCIR-7/7/2009 w.e.f. Aug 09<br>*This supersedes the order dt. 17.8.2009. for lab. Information Science trade.                                    |  |
| 49. Maharaja Agresen ITC, Purana Bus Stand , Weir Dist. Bharatpur Rajasthan<br>DGET-6/20/25/2010-TC (New Pvt.)   | Electrician              | 4(2+2)  | 4(2+2)       | 4(2+2)*                       | 4(2+2)*                           | SCIR-13/11/2009 w.e.f.Feb 2010<br>*S/D is requested to ensure instructors joining before admission of students & sends joining report to DGE&T. |  |
|  | Fitter                   | 2(1+1)  | 2(1+1)       | 2(1+1)*                       | 2(1+1)*                           |   |  |
|  | Mech. Electronics        | 2(1+1)  | 2(1+1)       | 2(1+1)*                       | 2(1+1)*                           |   |  |
|  | Mechanic Diesel          | 2(1+1)  | NR           | NC                            | NC                                |   |  |
| 50. Basant ITC, Infront of 220Kv Gass, N.H. 8 Putli Kotputli Dist. Jaipur Rajasthan<br>DGET-6/20/169/2008-TC   | Fitter                   | Addl. 3(1+1)  | Addl. 3(1+1) | Addl. 3(1+1)<br>Total 4(2+2)* | Addl. 3(1+1)<br>Total 4(2+2)*     | SCIR-21/11/2009 w.e.f.Feb 2010<br>*S/D is requested to ensure instructors joining before admission of students & sends joining report to DGE&T. |  |
|  | Electrician              | Addl. 4(2+2)  | Addl. 2(1+1) | Addl. 2(1+1)<br>Total 4(2+2)* | Addl. 2(1+1)<br>Total 4(2+2)*     |   |  |
| 51. Indian ITC, Village & P.O. Taskola, Via- Paota Kotputli Dist. Jaipur Pin- 303106 Rajasthan<br>DGET-6/20/138/2008-TC  | Electrician              | Addl. 2(1+1)  | AZ 2(1+1)    | Addl. 2(1+1)<br>Total 4(2+2)  | Addl. 2(1+1)<br>Total 4(2+2)      | SCIR-21/11/2009 w.e.f.Feb 2010  |  |

STATE: Rajasthan



DATED: 28/1/2010

| <b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b> |              |   |            |         |                                   |  |  |
|--|--------------|---|------------|---------|-----------------------------------|--|--|
| Name, Address & File No. of Institute for ref. & Future correspondence draft   | Trade        | Units for which affiliation sought / recommended by |            |         | Approval by Sub-Committee of NCVT | Remarks  |  |
|  |              | Instt.  | Std. Comm. | DGET    |                                   |  |  |
| 52. Govt. ITI, Bagidar<br>Dist-Banswara<br>Rajasthan<br><br>DGET-6/20/4/2000-TC  | Welder (G&E) | 2(1+1)  | 2(1+1)     | 2(1+1)* | 2(1+1)*                           | SCIR-22/10/2009<br>w.e.f. Feb 2010<br>*S/D may please ensure that instructors join the duty before the admission of trainees. S/D is requested to send the joining report instructors. |  |
|  | COPA         | 2(1+1)  | 2(1+1)     | 2(1+1)* | 2(1+1)*                           |  |  |