

STATE: Rajasthan



DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
1. Jai Hanuman ITC, Suroth, Teh. Hindauncity, Dist. Karauli Pin- 322252 Rajasthan DGET-6/20/147/2008-TC	Electrician	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-7/11/2009 w.e.f.Feb 2010	
2. V.D. ITC, Chak Daulatpur, Chiksana Dist. Bharatpur Pin- 321001 Rajasthan DGET-6/20/170/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-30/10/2009 w.e.f.Feb 2010	
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Health Sanitary Insp.	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
3. Nehru ITC, V&P. Babra Teh. Raipur Dist. Pali Rajasthan DGET-6/20/111/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-11/9/2009 w.e.f.Feb 2010	
	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
4. Modern ITC, Sector-10, Malviya Nagar Dist. Jaipur Pin- 302017 Rajasthan DGET-6/20/116/2009-TC (New Pvt.)	IT&ESM	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-3/9/2009 w.e.f.Feb 2010	
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Draughtsman Civil	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	COPA	2(1+1)	NR	NC	NC		
5. Sohar ITC, Khasra No. 888, Deendayal Nagar RIICO Industrial Bassi Dist. Jaipur Pin- 303301 Rajasthan DGET-6/20/117/2009-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-3/9/2009 w.e.f.Feb 2010	
	Surveyor	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Health Sanitary Insp.	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Library Information Science	2(1+1)	2(1+1)	2(1+1)	2(1+1)		



STATE: Rajasthan

DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
6. AITECH ITC, Near Aditya Academy Balaji Nagar Senth Dist. Chittorgarh Rajasthan DGET-6/20/185/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-18/9/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
7. Archarya Shri Nanesh ITC, Nanesh Nagar (Danta) Teh. Kapasan Dist. Chittoragarh Pin- 312204 Rajasthan DGET-6/20/178/2008-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-17/9/2009 w.e.f.Feb 2010	
8. Raj ITC, Sirvi kisan Chatravas, Ganeshpura Road, Beawar Dist. Ajmer Pin- 305901 Rajasthan DGET-6/20/28/2008-TC	Electrician	Addl. 3(1+2)	Addl. 3(1+2)	Addl. 3(1+2) Total 4(2+2)	Addl. 3(1+2) Total 4(2+2)	SCIR-2/9/2009 w.e.f.Feb 2010	
9. Jatin ITC, 1-12, Commercail Complex Opp. Navneet Motors, Mewar Industrial Area Dist. Udaipur Pin- 313003 Rajasthan DGET-6/20/69/2008-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-17/9/2009 w.e.f.Feb 2010	
10. Dashmesh ITC, Plot. No. 4, Pachim Vihar, Vistar, Sitapur Dist. Jaipur Rajasthan DGET-6/20/170/2008-TC	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-14/11/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		

STATE: Rajasthan



DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
11. Matsaya ITC, Gandura Road, Baroda MEO Teh. Laxmangarh Dist. Alwar Rajasthan DGET-6/20/111/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-11/9/2009 w.e.f.Feb 2010	
12. Karni ITC, Near Hanuman Temple, Ambamata Road Deogarh Dist. Rajsamand Pin- 313331 Rajasthan DGET-6/20/82/2008-TC	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-16/9/2009 w.e.f.Feb 2010	
13. Lal Bahadur Shastri ITC, Opp.Sita RIICO Area Hindaun Road, Gangapur City Dist. Sawai Madhopur Pin- 322201 Rajasthan DGET-6/20/63/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-29/10/2009 w.e.f.Feb 2010	
14. Maharana Pratap ITC, Near Gurudwara Main Road, K. Patan Dist. Bundi Pin- 323601 Rajasthan DGET-6/20/187/2009-TC (New Pvt.)	Electrician Mechanic Diesel	4(2+2) 2(1+1)	4(2+2) 2(1+1)	4(2+2) 2(1+1)	4(2+2) 2(1+1)	SCIR-10/11/2009 w.e.f.Feb 2010	
15. Sarswati ITC, Kaka Colony, Sardarsahar Dist. Churu Pin- 331403 Rajasthan DGET-6/20/140/2009-TC (New Pvt.)	Electrician IT&ESM	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-10/9/2009 w.e.f.Feb 2010	



STATE: Rajasthan

DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
16. S.J. ITC, Khasra No. 165, N.H. 8, Janaksinghpura Dist. Alwar Pin- 301705 Rajasthan DGET-6/20/129/2008-TC	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-10/9/2009 w.e.f.Feb 2010	
17. Vinayak ITC, V& Plumber- Bahtukhurda Teh. Kathumar Dist. Alwar Pin- 321605 Rajasthan DGET-6/20/162/2009-TC (New Pvt.)	Electrician Fitter Welder (G&E) COPA	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) NR	2(1+1) 2(1+1) 2(1+1) NC	2(1+1) 2(1+1) 2(1+1) NC	SCIR-9/9/2009 w.e.f.Feb 2010	
18. Sardar Patel ITC, Behind Gayatri Mandir, Gayatri Colony Dist. Jhalawar Pin- 326001 Rajasthan DGET-6/20/168/2009-TC (New Pvt.)	Electrician COPA	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-7/11/2009 w.e.f.Feb 2010	
19. Rajasthan ITC, Railway Station Road, Dhani Dalmia Chirawa Dist. Jhunjhunu Pin- 333026 Rajasthan DGET-6/20/167/2009-TC (New Pvt.)	Electrician COPA LIB. Information. Science Draughtsman Civil	4(2+2) 2(1+1) 2(1+1) 2(1+1)	4(2+2) 2(1+1) NR NR	4(2+2) 2(1+1) NC NC	4(2+2) 2(1+1) NC NC	SCIR-4/11/2009 w.e.f.Feb 2010	

STATE: Rajasthan



DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
20. Balaji ITC, Asanpura Kuchaman City Dist. Nagaur Pin- 341303 Rajasthan DGET-6/20/190/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-24/10/2009 w.e.f.Feb 2010	
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
21. Alfa ITC, Ward No. 6 Soni Baba Colony Near Railway Power House Gangapur City Dist. Sawai Madhopur Pin- 323301 Rajasthan DGET-6/20/188/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-27/10/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	COPA	2(1+1)	NR	NC	NC		
22. Nirmal Devi ITC, C-14, Nursery Block Talwadi Dist. Kota Pin- 324009 Rajasthan DGET-6/20/192/2009-TC (New Pvt.)	IT&ESM	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-9/11/2009 w.e.f.Feb 2010	
	COPA	2(1+1)	NR	NC	NC		
	Mech. Computer Hardware	2(1+1)	NR	NC	NC		
	Network Technician	2(1+1)	NR	NC	NC		
23. Divya Aksha ITC, Morak Station Chhaprada Near Govt. Hospital Teh. Ramganjmandi Dist. Kota Rajasthan DGET-6/20/186/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-11/11/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Welder	2(1+1)	NR	NC	NC		
	Insurance Agent	2(1+1)	NR	NC	NC		

STATE: Rajasthan



DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
24. Deen Dayal ITC, VPO Bari Teh. Fatehpur Shekhawati Dist. Sikar Pin- 332301 Rajasthan DGET-6/20/163/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-14/10/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Plumber	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
25. Shri Chaitanya ITC, Behind Central Bus Stand, Golpura Road, Dist. Bharatpur Pin- 321001 Rajasthan DGET-6/20/160/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)*	2(1+1)*	SCIR-31/10/2009 w.e.f.Feb 2010 *S/D may Please ensure that instructors would join the duty before admitting the trainees, Please send copy of joining report of instructors.	
	COPA	2(1+1)	2(1+1)	2(1+1)*	2(1+1)*		
	Mech. Computer Hardware	2(1+1)	NR	NC	NC		
	Draughtsman Civil	2(1+1)	NR	NC	NC		
26. SMS ITC, Dug Dist. Jhalawar Pin- 326001 Rajasthan DGET-6/20/165/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-7/11/2009 w.e.f.Feb 2010	
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
27. Smt. Mungi Devi ITC, Near Ram Nagar Tiraha Bisan Road, Dist. Churu Pin- 331001 Rajasthan DGET-6/20/178/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-24/10/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		

STATE: Rajasthan



DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
28 Deswal ITC, Near Gayatari Mandir, Weir, Dist. Bharatpur Pin- 321408 Rajasthan DGET-6/20/9/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 6(3+3)	Addl. 2(1+1) Total 6(3+3)	SCIR-29/10/2009 w.e.f.Feb 2010	
29. Shri Krishan ITC, Infront of Forest Deptt. Kota Road, Dist. Baran Rajasthan DGET-6/20/181/2009-TC (New Pvt.)	Electrician COPA	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-23/10/2009 w.e.f.Feb 2010	
30. Mother Teresha ITC, Behind K.D. Public Secondary School Dehra Mod, Dist. Bharatpur Rajasthan DGET-6/20/160/2007-TC	Fitter	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-14/11/2009 w.e.f.Feb 2010	
31. Shivonkar Maheshwari Technical Institute ITC, Bagar Dist. Jhunjhunu Rajasthan DGET-6/20/18/2004-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 5(2+2+1)	Addl. 2(1+1) Total 5(2+2+1)	SCIR-10/11/2009 w.e.f.Feb 2010	
32. Vivekanand ITC, Meerana Tallakhani To Arya Samaj Road, Rajwadi Bagichi Bayana Dist. Bharatpur Rajasthan DGET-6/20/193/2009-TC (New Pvt.)	Electrician Fitter Mech. Diesel Wireman	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	SCIR-12/11/2009 w.e.f.Feb 2010	



STATE: Rajasthan

DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
33. MPS ITC, 38, Mahaveer International Colony Near Vridhashram Dist. Sri Ganganagar Pin- 335001 Rajasthan DGET-6/20/159/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-17/9/2009 w.e.f.Feb 2010	
	COPA	2(1+1)	NR	NC	NC		
34. Yaduvanshi ITC, Near Bus Stand, Hasampur Neemka Thana Dist. Sikar Rajasthan DGET-6/20/64/2008-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-13/10/2009 w.e.f.Feb 2010	
35. Khushi ITC, Vill. Nagariyawar Post. Lalpura Biharipura Mode, Sawai Madhopur Dist. Dausa Pin- 303503 Rajasthan DGET-6/20/153/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-6/10/2009 w.e.f.Feb 2010	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Wireman	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
36. Shri Shyam ITC, E- 146, RIICO Industrial Area, Dist. Bhilwara Rajasthan DGET-6/20/161/2009-TC (New Pvt.)	Electrician	8(4+4)	8(4+4)	8(4+4)	8(4+4)	SCIR-16/9/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
37. Arnold ITC, Shyam Ganga, Via Malakhare P.S. Umrain Dist. Alwar Rajasthan DGET-6/20/6/2009-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-23/10/2009 w.e.f.Feb 2010	



STATE: Rajasthan

DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
38. Bhagwan Mahaveer ITC, Khasra No. 613, VP Keshavpur Infront of Binja Hotel , Rajgarh Road, Dist. Alwar Rajasthan DGET-6/20/15/2008-TC	Electrician	Addl. 12(6+6)	Addl. 12(6+6)	Addl. 12(6+6) Total 20(10+10)	Addl. 12(6+6) Total 20(10+10)	SCIR-11/9/2009 w.e.f.Feb 2010	
39. Bhagwati Devi ITC, Mandrayal Dist. Karauli Pin- 322251 Rajasthan DGET-6/20/139/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-12/9/2009 w.e.f.Feb 2010	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
40. Shri Lal Bahadur Shastri ITC, Sector-1, Mahaveer Nagar Extn. Dist. Kota Pin- 324009 Rajasthan DGET-6/20/149/2008-TC	Electrician	Addl. 8(4+4)	Addl. 8(4+4)	Addl. 8(4+4) Total 12(6+6)	Addl. 8(4+4) Total 12(6+6)	SCIR-9/11/2009 w.e.f.Feb 2010	
41. Vivekanand ITC, C-1176-77, Shankar Colony V.K.14, No. By Pass Loha Mandi Road Sikar Road, Dist. Jaipur Pin- 302017 Rajasthan DGET-6/20/17/2004-TC	Electrician	Addl. 4(2+2)	Addl. 4(2+2)	Addl. 4(2+2) Total 10(5+5)	Addl. 4(2+2) Total 10(5+5)	SCIR-14/11/2009 w.e.f.Feb 2010	
42. Veena Memorial ITC, Gulab Bagh Dist. Karauli Pin- 322241 Rajasthan DGET-6/20/108/2009-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-11/9/2009 w.e.f.Feb 2010	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Welder	2(1+1)	2(1+1)	2(1+1)	2(1+1)		



STATE: Rajasthan

DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instd.	Std. Comm.	DGET			
43. Shri Dev ITC, Opp. Anaj Mandi Dehra Road, Nadbai Dist. Bharatpur Rajasthan DGET-6/20/141/2007-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-14/11/2009 w.e.f.Feb 2010	
44. Lal Bahadur Shastri ITC, Chhoti Bambari, dhariyabad Road Dist. Pratapgarh Pin- 312605 Rajasthan DGET-6/20/171/2009-TC (New Pvt.)	Electrician Fitter	4(2+2) 2(1+1)	4(2+2) 2(1+1)	4(2+2) 2(1+1)	4(2+2) 2(1+1)	SCIR-17/9/2009 w.e.f.Feb 2010	
45. Indian Institute of ITC, Jaipur Road, Near Vansthali Mode Niwal Dist. Tonk Rajasthan DGET-6/20/90/2007-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 6(3+3)	Addl. 2(1+1) Total 6(3+3)	SCIR-5/11/2009 w.e.f.Feb 2010	
46. Vikas ITC, Opp. Sector 116/46, Agrawal Farm, Mansarover Dist. Jaipur Pin- 302020 Rajasthan DGET-6/20/63/2006-TC	Electrician Mechanic Diesel	Addl. 2(1+1) 2(1+1)	Addl. 2(1+1) 2(1+1)	Addl. 2(1+1) Total 4(2+2) 2(1+1)	Addl. 2(1+1) Total 4(2+2) 2(1+1)	SCIR-8/9/2009 w.e.f.Feb 2010	
47. Shree Rameshwar Lal Sharma ITC, VPO. Chirawa Dist. Jhunjhunu Pin- 333026 Rajasthan DGET-6/20/136/2008-TC	Electrician IT&ESM COPA	Addl. 2(1+1) 2(1+1) 2(1+1)	Addl. 2(1+1) 2(1+1) 2(1+1)	Addl. 2(1+1) Total 4(2+2) 2(1+1) 2(1+1)	Addl. 2(1+1) Total 4(2+2) 2(1+1) 2(1+1)	SCIR-10/11/2009 w.e.f.Feb 2010	



STATE: Rajasthan

DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
48. Shree Matsya ITC, Baroda Meo, Gandura Road, Teh. Laxmangarh Dist. Alwar Rajasthan DGET-6/20/161/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-11/9/2009 w.e.f.Feb 2010	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
49. Bright ITC, Needar Gare, Mandrayl Dist. Karauli Pin- 322251 Rajasthan DGET-6/20/118/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-12/9/2009 w.e.f.Feb 2010	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Steno (Hindi)	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Insurance Agent	2(1+1)	NR	NC	NC		
50. Nohar ITC, G-53, RIICO Area Nohar Dist. Hanumangarh Pin-335523 Rajasthan DGET-6/20/187/2008-TC	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-18/9/2009 w.e.f.Feb 2010	
51. Jai Mahaveer ITC, Karauli Road, Hindauncity Dist. Karauli Pin- 322230 Rajasthan DGET-6/20/120/2009-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-9/9/2009 w.e.f.Feb 2010	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Insurance Agent	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
52. Maa Kameshwari ITC, Near Police Thana, Bhusawar, Teh. Wier Dist. Bharatpur Pin- 321406 Rajasthan DGET-6/20/49/2007-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-13/11/2009 w.e.f.Feb 2010	



STATE: Rajasthan

DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
53. Goodwill ITC, Near Power House, VPO Charawas, Tehsil Khetri Dist. Jhunjhunu Rajasthan DGET-6/20/126/2009-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-15/9/2009 w.e.f.Feb 2010	
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
54. Manju Devi Memorial ITC, Lunwa, Via-Nawa Dist. Nagaur Rajasthan DGET-6/20/155/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-4/9/2009 w.e.f.Feb 2010	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	IT&ESM	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
55. Shri Ramananda Charaya ITC, Plot NO. 5/240, Teh. Road, Shahpura Dist. Jaipura Pin- 303103 Rajasthan DGET-6/20/91/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-4/9/2009 w.e.f.Feb 2010	
56. Maharaja Agarsen ITC, Verdhman Nagar, Hindauncity Dist. Karauli Pin- 322230 Rajasthan DGET-6/20/127/2009-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-10/9/2009 w.e.f.Feb 2010	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Electronics Mech.	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
57. B.R. Mirdha ITC, Didwana Road, Maulasar Dist. Nagaur Rajasthan DGET-6/20/151/2009-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-02/9/2009 w.e.f.Feb 2010	
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		

STATE: Rajasthan



DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
58. D.R. Memorial ITC, Makran Road, Kuchamancity Dist. Nagaur Pin- 341508 Rajasthan DGET-6/20/158/2009-TC (New Pvt.)	Electrician Mechanic Diesel	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-3/9/2009 w.e.f.Feb 2010	
59. Saraswati ITC, Jaipur Road, Malpura Dist. Tonk Pin- 304502 Rajasthan DGET-6/20/110/2009-TC (New Pvt.)	Electrician Mechanic Diesel	2(1+1) 2(1+1)	2(1+1) 2(1+1)	* *	* *	SCIR-2/9/2009 *There is difference in the workshop area for the above trades between area mentioned in Annexure-III & Lay out plan. S/D is requested to clarify.	
60. Rajasthan ITC, Village Amarsar Dist. Jaipur Pin- 303601 Rajasthan DGET-6/20/120/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	*Rejected	*Rejected	SCIR-4/9/2009 *Standing committee has given remark that this building is safe till one year.	
61. Devanshu Infotech. ITC, Narayan Estate Nadoti Road, Gangapurcity Dist. Sawai Madhopur Pin- 322001 Rajasthan DGET-6/20/191/2009-TC (New Pvt.)	Electrician Fitter Mech. Diesel COPA	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	SCIR-11/11/2009 w.e.f.Feb 2010	



STATE: Rajasthan

DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
62. Saraswati ITC, Januthar Teh. Deeg Dist. Bharatpur Pin- 321203 Rajasthan DGET-6/20/189/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-9/11/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Health sanitary Inspector	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Insurance Agent	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
63. K.B.M. ITC, Bhadoli Road, Bonli Dist. Sawai Madhopur Pin- 322033 Rajasthan DGET-6/20/176/2009-TC (New Pvt.)	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-28/10/2009 w.e.f.Feb 2010	
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Plumber	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
64. Bharat ITC, 12, Ram Nagar Delhi Road, Mungaska Dist. Alwar Rajasthan DGET-6/20/179/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-12/9/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Cutting & Sewing	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Insurance Agent	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
65. Shir Vishwakarma ITC, Meerana road, Bayana Dist. Bharatpur Pin- 321401 Rajasthan DGET-6/20/194/2009-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-29/10/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Stenography	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Insurance Agent	2(1+1)	2(1+1)	2(1+1)	2(1+1)		

STATE: Rajasthan



DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
66. Govindam ITC, VPO Kapren Dist. Bundi Pin- 323301 Rajasthan DGET-6/20/180/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-10/11/2009 w.e.f.Feb 2010	
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
67. Padmawati ITC, Dev Shree Complex By pass Road, Dist. Bundi Rajasthan DGET-6/20/105/2007-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-24/10/2009 w.e.f.Feb 2010	
68. M.D. ITC, Near Katputli Mandir Jagina Gate, Dist. Bharatpur Rajasthan DGET-6/20/38/2008-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-31/10/2009 w.e.f.Feb 2010	
69. Vivakanand ITC, Near Hanuman Nagar Residential Colony Behind RIICO, Bhadra Road Dist. Hanumangarh Pin- 335523 Rajasthan DGET-6/20/75/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-19/9/2009 w.e.f.Feb 2010	
	Fitter	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)		
70. Aravli ITC, SP-1, RIICO Industrial Area, Neem-Ka- Thana, Dist. Sikar Pin- 332713 Rajasthan DGET-6/20/15/2005-TC	Fitter	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 6(3+3)	Addl. 2(1+1) Total 6(3+3)	SCIR-23/9/2009 w.e.f.Feb 2010	
	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)		



STATE: Rajasthan

DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
71. Agrawal ITC, F-182-183, RIICO Industrial Area Gangapur City Dist. Sawai Madhopur Pin- 322201 Rajasthan DGET-6/20/173/2009-TC (New Pvt.)	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)*	2(1+1)*	SCIR-27/10/2009 w.e.f.Feb 2010 *S/D is requested to ensure joining of principal & Group instructor at time of admission of student.	
	Stenography (Hindi)	2(1+1)	2(1+1)	2(1+1)*	2(1+1)*		
	Electrician	16(8+8)	NR	NC	NC		
	COPA	2(1+1)	NR	NC	NC		
72. Yash ITC, Near Machela, Weir Road, Kanawar Bayana Dist. Bharatpur Pin- 321401 Rajasthan DGET-6/20/183/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-10/11/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
73. Geeta Jyoti ITC, 36, Mod Kenchiya P.O. Khotha Wali Teh. Pilibanga VIA Goduwala Dist. Hanumangarh Rajasthan DGET-6/20/150/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-18/9/2009 w.e.f.Feb 2010	
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
74. S.V.P. ITC, NH-11, Palsana Teh. Datapramgarh Dist. Sikar Pin- 332402 Rajasthan DGET-6/20/121/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-26/9/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Plumber	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
75. Aditya ITC, Jai Nagar Road, Begun Dist. Chittorgarh Rajasthan DGET-6/20/99/2007-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-18/9/2009 w.e.f.Feb 2010	

STATE: Rajasthan



DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
76. Sarswati ITC, Aniruddha Nagar Dist. Bharatpur Pin-321001 Rajasthan DGET-6/20/124/2008-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-31/10/2009 w.e.f.Feb 2010	
77. Sorabh ITC, Bharat Bihar Chandrasel Road, Dist. Kota Rajasthan DGET-6/20/184/2009-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-19/11/2009 w.e.f.Feb 2010	
	Hospital House Keeping	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Insurance Agent	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
78. Sumitra Memorial ITC, Ranoli Teh. Dantaramgarh Dist. Sikar Pin- 332402 Rajasthan DGET-6/20/145/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-24/9/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	COPA	2(1+1)	NR	NC	NC		
79. Sunita ITC, Gulab Bagh Dist. Ajmer Rajasthan DGET-6/20/11/2002-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 6(3+3)	Addl. 2(1+1) Total 6(3+3)	SCIR-1/9/2009 w.e.f.Feb 2010	
80. Pioneer ITC, Near Bus Stand Sri Vijay Nagar Dist. Sri Ganganagar Pin- 335704 Rajasthan DGET-6/20/85/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-17/9/2009 w.e.f.Feb 2010	



STATE: Rajasthan

DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
81. Maharaja Agrasen ITC, Near Bus stand Gothara Khatri Nagar Dist. Jhunjhunu Rajasthan DGET-6/20/55/2007-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-14/9/2009 w.e.f.Feb 2010	
82. Bagria ITC, RIICO Fathepur Shekhawati Dist. Sikar Pin- 332302 Rajasthan DGET-6/20/180/2008-TC	Electrician	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	SCIR-14/10/2009 w.e.f.Feb 2010	
	Electrician	Addl. 2(1+1)	NR	NC	NC		
	MRAC	2(1+1)	NR	NC	NC		
83. Shri Shyam ITC, Teekri Jafran N.H. 11, Agra Road, Hahwa Dist. Dausa Rajasthan DGET-6/20/177/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-5/10/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Welder G&E	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
84. G.N. ITC, Nayapura Station Road, Anta Dist. Baran Pin- 325202 Rajasthan DGET-6/20/175/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-23/10/2009 w.e.f.Feb 2010	
	Insurance Agent	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
85. Meenesh ITC, Bamanwas, village Sarangpura PO.Koyala Near Koyala Bus Stand Dist. Sawai Madhopur Pin- 322204 Rajasthan DGET-6/20/182/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-10/11/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		

STATE: Rajasthan



DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
No.	Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
			Instit.	Std. Comm.	DGET		
86.	Techno ITC, Near Bus Stand Jhalawar Dist. Jhalawar Pin- 326001 Rajasthan DGET-6/20/174/2009-TC (New Pvt.)	Electrician Insurance Agent	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-6/11/2009 w.e.f.Feb 2010
87.	Laxman ITC, P.S. Bonli, Dist. Sawai Madhopur Rajasthan DGET-6/20/89/2007-TC	Electrician Mech. Diesel	Addl. 4(2+2) Addl. 2(1+1)	Addl. 4(2+2) Addl. 2(1+1)	Addl. 4(2+2) Total 8(4+4) Addl. 2(1+1) Total 4(2+2)	Addl. 4(2+2) Total 8(4+4) Addl. 2(1+1) Total 4(2+2)	SCIR-11/11/2009 w.e.f.Feb 2010
88.	OM Shandiyla ITC, Jhareda Road, Hindauncity Dist. Karauli Pin- 322230 Rajasthan DGET-6/20/35/2007-TC	Electrician	Addl. 14(7+7)	Addl. 14(7+7)	*	*	SCIR-10/9/2009 *Paper of Electrical power supply load is not attached for 22Kw. S/D is requested to send & clarify the same.
89.	Indian Institute of Industrial Centre, Munim Ji Ki Dharmshal, Bonli Dist. Sawai Madhopur Pin- 303306 Rajasthan DGET-6/20/135/2009-TC	Electrician	Addl. 4(2+2)	Addl. 4(2+2)	Addl. 4(2+2) Total 6(3+3)	Addl. 4(2+2) Total 6(3+3)	SCIR-28/10/2009 w.e.f.Feb 2010
90.	OM ITC, 11-12, Tilak Nagar Heeradas Dist. Bharatpur Rajasthan DGET-6/20/150/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-9/11/2009 w.e.f.Feb 2010
91.	Arush ITC, Near Gangapur Chungi Naka Dist. Karauli Pin- 333023 Rajasthan DGET-6/20/125/2008-TC	Electrician	Addl. 4(2+2)	Addl. 4(2+2)	Addl. 4(2+2) Total 6(3+3)	Addl. 4(2+2) Total 6(3+3)	SCIR-26/10/2009 w.e.f.Feb 2010



STATE: Rajasthan

DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instt.	Std. Comm.	DGET			
92. CH. Charan Singh ITC, Mandawa Dist. Jhunjhunu Pin- 333703 Rajasthan DGET-6/20/61/2008-TC	Electrician	2(1+1)	2(1+1)	*	*	SCIR-3/11/2009 *S/D is requested to clarify whether institute is running. As per record only 1019 Unit of Electricity Consumed during last ten Months where as 2 unit of Fitter & 2 unit of Electrician is running. Old Electricity meter is still continuing at new location with old reading.	
	Fitter	2(1+1)	2(1+1)	*	*		
	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	*	*		
Institute has been shifted to new building . All Trades from old Location is De-affiliated. At new Location Clarification Sought.							
93. Vijay Atul ITC, Kathuwar V.P.O. Kathuwar Dist. Alwar Pin- 301704 Rajasthan DGET-6/20/103/2008-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-23/10/2009 w.e.f.Feb 2010	
	COPA	2(1+1)	NR	NC	NC		
94. ETC ITC, 42, Mohan Nagar, Near By Pass Dist. Alwar Pin- 301001 Rajasthan DGET-6/20/7/2006-TC	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-11/9/2009 w.e.f.Feb 2010	
	Fitter	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)		
95. Shah ITC, Near Dhakar Dharmkata, Jahajpur Road, Shahpura Dist. Bhilwara Rajasthan DGET-6/20/172/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-16/9/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		

STATE: Rajasthan



DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
96. Vidhya Sarovar ITC, Sikandra Tiraya Bayana Dist. Bharatpur Rajasthan DGET-6/20/24/2006-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-12/11/2009 w.e.f.Feb 2010	
97. Marudhar ITC, Tayal Dist. Nagaur Pin- 341023 Rajasthan DGET-6/20/152/2009-TC (New Pvt.)	Electrician Fitter Mech. Diesel	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	SCIR-7/9/2009 w.e.f.Feb 2010	
98. Shree Nrasingh ITC, Plot No. 6, RIICO, Industrial Area, Bayana Road Dist. Bharatpur Rajasthan DGET-6/20/24/2009-TC	Health sanitary Inspector	2(1+1)	2(1+1)	2(1+1)*	2(1+1)*	SCIR-15/7/2009 w.e.f.Feb 2010 *This clears case kept pending in meeting held on 17.08.2009	
99. Ratan Devi ITC, Reengus Road, Near Bridge Chomu, Dist. Jaipur Pin- 303702 Rajasthan DGET-6/20/14/2006-TC	Fitter Mechanic Diesel	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-9/9/2009 w.e.f.Feb 2010	
100. Jawahar Lal Nehru ITC, Jolapa Road, Teh. Sangod Dist. Kota Pin- 325601 Rajasthan DGET-6/20/164/2009-TC (New Pvt.)	Electrician Fitter COPA Electronics Mechanic	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) NR NR NR	2(1+1) NC NC NC	2(1+1) NC NC NC	SCIR-11/11/2009 w.e.f.Feb 2010	



STATE: Rajasthan

DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
101 Kalpana Chawla Memorial ITC, Ward No. 12, Bhadra Dist. Hanumangarh Pin- 335501 Rajasthan DGET-6/20/53/2007-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-23/10/2009 w.e.f.Feb 2010	
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
102 Shree Balaji ITC, Delhi Road, Sardar Sohar Dist. Churu Pin- 331403 Rajasthan DGET-6/20/107/2009-TC (New Pvt.)	Draughtsman Civil	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-10/9/2009 w.e.f.Feb 2010	
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
103 Shri Vishvakarma ITC, Near Baroli Temple, Kota Road, Rawatbhata, Dist. Chittorgarh Pin- 323305 Rajasthan DGET-6/20/166/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-16/9/2009 w.e.f.Feb 2010	
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
104 Lal Bahadur Shastri ITC, Chittorgarh Dist. Chittorgarh Pin- 312001 Rajasthan DGET-6/20/195/2009-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)	SCIR-18/9/2009 w.e.f.Feb 2010	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
105 Raghukul ITC, Khasra No. 278/15, Manoharpura, Bassi Dist. Jaipur Rajasthan DGET-6/20/121/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-13/11/2009 w.e.f.Feb 2010	
	Mechanic Diesel	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 6(3+3)	Addl. 2(1+1) Total 6(3+3)		



STATE: Rajasthan

DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
106 Saurabh ITC, Plot No. C-40-41, Kusum Vihar, Jagatpura Dist. Jaipur Pin- 302017 Rajasthan DGET-6/20/2/2006-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-5/9/2009 w.e.f.Feb 2010 This is a shifting case. All Trades from old location is de-affiliated.	
107 Bajrang ITC, Near Railway Fatak, Hanuman Colony, Govindgarh Teh. Laxmangarh Dist. Alwar Pin- 301604 Rajasthan DGET-6/20/38/2006-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-9/9/2009 w.e.f.Feb 2010 This is a shifting case. All Trades from old location is de-affiliated.	
	Fitter	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)		
108 Vijay ITC, Near SBBJ Bank Bandikui Road, Sikandara Dist. Dausa Pin- 303326 Rajasthan DGET-6/20/43/2009-TC	Health sanitary Inspector	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-23/7/2009 SIR-21.10.2009. w.e.f.Feb 2010 *This clears the case kept pending in the meeting held on 17.8.09. w.r.t. Health sanitary Inspector trade.	
109 Arihant IT,C 161, Taruchhaya Nagar, Tonk Road, Jaipur Dist. Jaipur Pin- 302017 Rajasthan DGET-6/20/59/2006-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 6(3+3)	Addl. 2(1+1) Total 6(3+3)	SCIR-5/9/2009 w.e.f.Feb 2010	
110 Satyam ITC, Baluram Compounder ki Gali Jaipur Road, Dist. Sikar Rajasthan DGET-6/20/137/2007-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-25/9/2009 w.e.f.Feb 2010 This is a shifting case. All Trades from old location is de-affiliated.	
	Electrician	4(2+2)	4(2+2)	4(2+2)	4(2+2)		



STATE: Rajasthan

DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
111 Maulana Abul Kalam Azad Muslim ITC, Pal Link Road, Dist. Jodhpur Pin- 342008 Rajasthan DGET-6/20/1/2004-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-22/10/2009 w.e.f.Feb 2010	
	Mech. Diesel	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)		
	Carpenter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
It is seen from the recommendation sheet of SCIR that workshop of different trades have been shifted. Hence all the affiliated trades are de-affiliated due to change of location. All trades at old location de-affiliated.							
112 R.R. ITC, Mahwa Road, Machadi, Teh. Rajgarh Dist. Alwar Pin- 301408 Rajasthan DGET-6/20/169/2009-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-9/9/2009 w.e.f.Feb 2010	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Welder	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
113 Priya TIC, Banwaripur Moad, Shri Maha Veerji, Teh. Hindauncity Dist. Karauli Pin- 322220 Rajasthan DGET-6/20/34/2008-TC	Electrician	Addl. 4(2+2)	Addl. 4(2+2)	Addl. 4(2+2) Total 6(3+3)*	Addl. 4(2+2) Total 6(3+3)*	SCIR-30/10/2009 w.e.f.Feb 2010 *S/D is requested to ensure the joining of instructor before giving affiliation order.	
114 Matsya Lok Sewa ITC, Govind Nagar Dist-Alwar Rajasthan DGET-6/20/154/2007-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-24/10/2009 w.e.f.Feb 2010	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Wireman	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
115 Shiv ITC, Banbaripur Moad Sri Mahaveerji, The-Hindauncity Dist-Karuali Pin-322220 DGET-6/20/34/2007-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-27/10/2009 w.e.f.Feb 2010	
	Insurance Agent	2(1+1)	2(1+1)	2(1+1)	2(1+1)		

STATE: Rajasthan



DATED: 29/12/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
116 Govt. ITI, Bagidar Dist-Banswara Rajasthan DGET-6/20/4/2000-TC	Welder (G&E)	2(1+1)	2(1+1)	*	*	SCIR-22/10/2009 *The appt letter of instructors engaged one are enclosed. S/D to clarify.	
		2(1+1)	2(1+1)	*	*		
	COPA	This is shifting case. Welder (G & E) 2(1+1) unit & COPA 2(1+1)Unit are de-affiliated from Govt. ITI Jail, Ajmer.					