

STATE: Rajasthan



DATED: 11/9/2009

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
1. Smt. Bhanwari Devi ITC, Mohan Mandre Cinema ka Pass, Kishangarh, Ranwal, Teh. Phulera, Dist. Jaipur Pin- 303603 Rajasthan DGET-6/20/134/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-29/7/2009 w.e.f. Aug 09	
2. E-Gyan Centre ITC, Near Bus Stand Shopping Complex Dist. Hanumangarh Pin- 335512 Rajasthan DGET-6/20/36/2006-TC	COPA	2(1+1)	2(1+1)	*2(1+1)	*2(1+1)	SCIR-30/7/2009 w.e.f. Aug 09	
	Fashion Technology	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
<b>*Affiliation of Trade COPA -2(1+1) Units has been with drawn from old location w.e.f. Aug 09 (SHIFTING CASE)</b>							
3. Vikas ITC, Near RTO Office Putli Road, N.H.8, Kotputli Dist. Jaipur Pin- 303108 Rajasthan DGET-6/20/141/2008-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-25/9/2008 w.e.f. Aug 08	
	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)		
	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-25/7/2009 w.e.f. Aug 09	
	Fitter	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)		
4. Govt. ITI, Siwana Dist. Barmer Rajasthan DGET-6/20/3/2002-TC	Electrician	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-29/7/2008 w.e.f. Aug 08	
5. Govt. Mahila ITI, Bhilwara Kuwara Road, Dist. Bhilwara Pin- 311001 Rajasthan DGET-6/20/1/96-TC	Cutting & Sewing	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-28/5/2009 w.e.f. Aug 09 *Rejected as computer & Printer are short.	
	Mechanic Electronics	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)		
	Steno (Hindi)	Addl. One Unit	-	*Rejected	*Rejected		

STATE: Rajasthan



DATED: 11/9/2009

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
6 Govt. ITI, Chabhujia Road, Desuri Dist. Pali Pin- 306706 Rajasthan  DGET-6/20/2/99-TC	MMV	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-24/9/2008 w.e.f. Aug 08	
	Mechanic Electronics	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)		
	Wireman	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)		
7 Govt. ITI, Jaipur Road, Dist. Sikar Rajasthan  DGET-6/20/6/97-TC	Draughtsman Civil	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-27/6/2009 w.e.f. Aug 09	
	Welder	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)		
8 Shri Surajmal Taparia ITC, Jaswantgarh Dist. Nagpur Rajasthan  DGET-6/20/4/98-TC	Draughtsman Civil	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-11/5/2009 w.e.f. Aug 09	
	IT&ESM	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)		
9 A.N. ITC, Radha Swami bag, Jaipur Road, Chomu, Dist. Jaipur Rajasthan  DGET-6/20/199/2007-TC	COPA	2(1+1)	2(1+1)	*One Unit	*One Unit	SCIR-15/10/2008 w.e.f. Aug 08 *Addl. Unit Rejected (2 <sup>nd</sup> time) *Trade instructor is appointed after NCVT Meeting decision & after SCIR date, which can't consider.	

STATE: Rajasthan



DATED: 11/9/2009

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
10 Govt. ITI, Jathwai Road, Dist. Jaisalmer Pin- 342301 Rajasthan  DGET-6/17/6/85-TC	MMV	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-27/10/2008 w.e.f. Aug 08	
	Wireman	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)		
	Cutting & Sewing	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)		
	Welder (G&E)	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)		
11 Govt. ITI, Jalore Dist. Jalore Pin- 343001 Rajasthan  DGET-6/17/2/85-TC	Steno (Hindi)	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-27/5/2009 w.e.f. Aug 09	
	Wireman	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)		
	Welder (G&E)	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)		
12 Sarvodaya ITC, Kamalpura, N.H. 11, Tehsil. Weir Dist. Bharatpur Pin- 321407 Rajasthan  DGET-6/20/152/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-27/7/2009 w.e.f. Aug 09	
	Fitter	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)		
	COPA	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)		
13 Archarya Shri Nanesh ITC, Nanesh Nagar (Danta) Teh. Kapasan Dist. Chittoragarh Pin- 312204 Rajasthan  DGET-6/20/178/2008-TC	Fitter	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-16/6/2009 w.e.f. Aug 09	

STATE: Rajasthan



DATED: 11/9/2009

<b>SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&amp;E (Tools &amp; Equipment)</b>							
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks	
		Instit.	Std. Comm.	DGET			
14 Govt. ITI, Near Railway Gate Phalodi Dist. Jodhpur Pin- 342301 Rajasthan  DGET-6/20/5/99-TC	Wireman	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-30/8/2008 w.e.f. Aug 08	
	Dress Making	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)		
	Steno (Hindi)	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)		
15 Shri Krishna ITC, Vill. Kurgaon Tehsil. Sapotra Dist. Karauli Pin- 322255 Rajasthan  DGET-6/20/188/2008-TC	Electrician	Addl. 4(2+2)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-25/7/2009 w.e.f. Aug 09 *This clears case kept pending in meeting held on dt. 28.08.09.	