



STATE: Rajasthan

DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	Std. Comm.	Approval by Sub-Committee of NCVT	
1 Govt. ITI, Anta Road, Sangod, Dist. Kota Rajasthan DGET-6/20/3/2000-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	SCIR-13/7/2012 w.e.f. Aug 2012
	Wireman	2(1+1)	2(1+1)	2(1+1)	
	COPA	2(1+1)	2(1+1)	2(1+1)	
	Mech. RAC	2(1+1)	2(1+1)	2(1+1)	
2 Mulana Azad Private ITI, Village. Ummedpura, Isharpura, Teshil. Ladpura, Dist. Kota Rajasthan DGET-6/20/19/2012-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-20/7/2012 w.e.f. Aug 2012
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	
	COPA	2(1+1)	2(1+1)	2(1+1)	
	Electrician	4(2+2)	4(2+2)	4(2+2)	
3 Gurukul Private ITI, VPO. Chomu Purohitan, Teshil. Shrimadhapur, Dist. Sikar Rajasthan DGET-6/20/12/2012-TC (New Pvt.)	Electrician	8(4+4)	8(4+4)	8(4+4)	SCIR-16/7/2012 w.e.f. Aug 2012
4 J.I.T.S Private ITI, Box No. 20, Medi City, N.H. 12, Jaipur Road, Dist. Tonk Rajasthan DGET-6/20/21/2012-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	SCIR-24/7/2012 w.e.f. Aug 2012
	Fitter	2(1+1)	2(1+1)	2(1+1)	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	

-1-

एस. के. धीमान / S.K. DHIMAN
प्रशिक्षण अधिकारी / Training Officer
रोजगार एवं प्रशिक्षण विभाग / D.G.E.&T.
श्रम एवं रोजगार विभाग
Ministry of Labour & Employment
भारत सरकार / Govt. of India
नई दिल्ली / New Delhi



STATE: Rajasthan

DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT	
5 Shri Balaji Private ITI, A-170, Krishna Colony Khora Road, Manoharpur, Dist. Jaipur Rajasthan DGET-6/20/22/2012-TC (New Pvt.)	Electrician Fitter	4(2+2) 2(1+1)	4(2+2) 2(1+1)	4(2+2) 2(1+1)	SCIR-25/7/2012 w.e.f. Aug 2012
6 Ranthumbhore Private ITI, G-1-152A, RIICO Area, Kherda, Dist. Sawai Madhopur Rajasthan DGET-6/20/13/2012-TC (New Pvt.)	Electrician	8(4+4)	8(4+4)	8(4+4)	SCIR-17/7/2012 w.e.f. Aug 2012
7 Saurabh Private ITI, Khasra No. 1682, Gudasi Road, Dist. Sawai Madhopur Rajasthan DGET-6/20/60/2006-TC	Electrician	Addl. 12 Units	-	Addl. 12 units Total 36(12+12+12)	DIR-20/7/2012 w.e.f. Aug 2012
8 Shri Bhairev Private ITI, Mundra Circle, Pipar City, Teh. Bilara Dist. Jodhpur Rajasthan DGET-6/20/39/2010-TC	Electrician	4(2+2)	4(2+2)	*	SCIR-19/7/2012 *The De-affiliation of COPA, Draughtsman Civil, Plumber and Health sanitary Inspector has to considered by Standing committee for evaluation before considering the fresh SCIR as taking into account the all affiliated trades, the power norms is found to be less for the additional unit. S/D to forward necessary clarification.

-2-

एस. के. धिमन/S.K. DHIMAN
प्रशिक्षण अधिकारी/Training Officer
रोजगार एवं प्रशिक्षण विभाग/Ministry of Labour & Employment
नई दिल्ली/New Delhi



STATE: Rajasthan

DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT	
9 Akanksha Private ITI, NH.89, Nagaur Road, Nakha, Dist. Bikaner Rajasthan DGET-6/20/15/2012-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	SCIR-13/7/2012 w.e.f. Aug 2012
	Wireman	2(1+1)	2(1+1)	2(1+1)	
	Architectural Assistant	2(1+1)	2(1+1)	2(1+1)	
	Fashion Technology	2(1+1)	2(1+1)	2(1+1)	
10 Govt. ITI, Dhayala Road, Nathdwara Dist. Rajsamand Rajasthan DGET-6/20/1/97-TC	Fitter	2(1+1)	2(1+1)	*	SCIR-18/7/2012 *The relevant electrical paper does not show total 35KW load as indicated in annexure. III. The enclosed paper are not showing total connected load of 35KW. S/D to forward clarification.
	Electronics Mechanic	2(1+1)	2(1+1)	*	
	Welder (G&E)	2(1+1)	2(1+1)	*	
	COPA	2(1+1)	2(1+1)	*	
11 Govt. Mahila ITI, D.C.M Road, Kota, Dist. Kota Rajasthan DGET-6/20/1/92-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	SCIR-12/7/2012 w.e.f. Aug 2012
	Information Technology & Electronic System Maintenance	2(1+1)	2(1+1)	2(1+1)	
	Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	
	Mech. Computer Hardware	2(1+1)	2(1+1)	2(1+1)	

-3-

एस. के. धिमान/S.K. DHIMAN
प्रशिक्षण अधिकारी/Training Officer
रोजगार एवं प्रशिक्षण विभाग/D.G.E.&T.
श्रम एवं रोजगार विभाग
Ministry of Labour & Employment
भारत सरकार/Govt. of India
नई दिल्ली/New Delhi



STATE: Rajasthan

DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	Std. Comm.	Approval by Sub-Committee of NCVT	
12 Jain Private ITI, Plot No. 24, Ram Lal Colony, SSB Road, VPO. Nathwala, Dist. Sri Ganga Nagar Rajasthan DGET-6/20/59/2007-TC	Electrician	8(4+4)	8(4+4)	*	SCIR-9/7/2012 *The layout plan showing trades already affiliated and trade for which affiliation asked are not shown on same drawing. The class room workshop and other infrastructure shown in old drawing for affiliated trade are not shown on the new drawing. Latest electricity bill clearly indicating sanctioned load is required. S/D to forward.
	Fitter	2(1+1)	2(1+1)	*	
	COPA	2(1+1)	2(1+1)	*	
	IT&ESM	2(1+1)	2(1+1)	*	
13 Seth Motilal Private ITI, Isharpura, Mand Rella Road, Dist. Jhunjhunu Rajasthan DGET-6/20/27/2012-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	*	SCIR-21/7/2012 *In layout dimension of each class is not mentioned, Drawing room, Library, Dispensary and IT room are not demarcated in layout. Latest electricity bill clearly indicating sanctioned load is required. S/D to forward.
	Mech. Diesel	2(1+1)	2(1+1)	*	
	Fitter	2(1+1)	2(1+1)	*	
	Draughtsman Civil	2(1+1)	2(1+1)	*	
14 Govt. ITI, Bagidar Dist-Banswara Rajasthan DGET-6/20/4/2000-TC	Electronics Mech.	2(1+1)	2(1+1)	2(1+1)	SCIR-12/7/2012 w.e.f. Aug 2012
	Electrician	2(1+1)	2(1+1)	2(1+1)	
	MRAC	2(1+1)	2(1+1)	2(1+1)	
	MMV	2(1+1)	2(1+1)	2(1+1)	
15 Palriwala Vocational Training & Research Private ITI, Khasra No. 78/2, Near Railway Station, Basni Road, P.O. Lachhmangarh Dist. Sikar Rajasthan DGET-6/20/99/2008-TC	Draughtsman Civil	2(1+1)	2(1+1)	2(1+1)	SCIR-19/7/2012 w.e.f. Aug 2012p
	COPA	2(1+1)	2(1+1)	2(1+1)	
	IT&ESM	2(1+1)	2(1+1)	2(1+1)	

-4-

एस. के. धीमान/S.K. DHIMAN
प्रशिक्षण अधीक्षक/Training Officer
रोजगार एवं प्रशिक्षण विभाग/D.G.E.&T.
भारत एवं रोजगार मंत्रालय
Ministry of Labour & Employment
भारत सरकार/Govt. of India
नई दिल्ली/New Delhi

STATE: Rajasthan




DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT	
16 Gurukul Private ITI, A-06, Manglam City, Kalwar Road, Jhotwara, Dist. Jaipur Rajasthan DGET-6/20/10/2012-TC (New Pvt.)	Electrician	8(4+4)	8(4+4)	8(4+4)	SCIR-19/7/2012 w.e.f. Aug 2012
17 Siddharth Private ITI, 268, Sec.26, Near NRI Colony, Pratap Nagar, Sanganer, Dist. Jaipur Rajasthan DGET-6/20/14/2012-TC (New Pvt.)	Electrician	12(6+6)	12(6+6)	12(6+6)	SCIR-19/7/2012 w.e.f. Aug 2012
18 Govt. ITI, Parasiya Sanganer, Near Muhana Road, Behind GSS Sanganer, Dist. Jaipur Rajasthan DGET-6/20/9/2012-TC (New Govt.)	Electrician Fitter RAC COPA	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	SCIR-17/5/2012 w.e.f. Aug 2012
19 Shri Giriraj Private ITI, A-121 to 126, Riddi Siddhi Nagar Kunhari, Dist. Kota Rajasthan DGET-6/20/11/2012-TC (New Pvt.)	Electrician Mechanic Diesel Wireman Fitter	4(2+2) 2(1+1) 2(1+1) 2(1+1)	4(2+2) 2(1+1) 2(1+1) NR	4(2+2) 2(1+1) 2(1+1) NC	SCIR-11/7/2012 w.e.f. Aug 2012

-5-


एस. के. धिमान / S.K. DHIMAN
प्रशिक्षण अधिकारी / Training Officer
रोजगार एवं प्रशिक्षण विभाग / D.G.E.&T.
श्रम एवं रोजगार विभाग
Ministry of Labour & Employment
नई दिल्ली / Govt. of India
नई दिल्ली / New Delhi



STATE: Rajasthan

DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	Std. Comm.	Approval by Sub-Committee of NCVT	
20 Shiva Private ITI, Barni Khurd Teh. Bhopalgarh, Dist. Jodhpur Rajasthan DGET-6/20/18/2012-TC (New Pvt.)	Electrician Wireman	8(4+4) 2(1+1)	8(4+4) 2(1+1)	* *	SCIR-17/7/2012 *The meter sealing report/recent bill and its receipt is not enclosed. S/D to forward.
21 Govt. ITI, Near Shastri Circle, Dist-Jodhpur Pin-342003 Rajasthan DGET-6/17/1/87-TC	Electronic Mech.	2(1+1)	2(1+1)	2(1+1)	SCIR-26/5/2012 SIR-13/8/2012 w.e.f. Aug 2012
22 Baba Gangadas Vidhyapeth Pv. ITI, VPO-Chimanpur, The-Shahpura, Dist-Jaipur Pin-303103 Rajasthan DGET-6/20/24/2012-TC (New Pvt.)	Electrician Mech. Diesel Fitter Draughtsman Civil	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) NR 2(1+1) NR	2(1+1) NC 2(1+1) NC	SCIR-16/7/2012 w.e.f. Aug 2012
23 Rama Pvt. ITI, Balaji Nagar Mahaveer Colony-2, Bhadana to Nayagaon Road, Dist-Kota Rajasthan DGET-6/20/25/2012-TC (New Pvt.)	Electrician Wireman COPA Cutting & Sewing	22(11+11) 2(1+1) 2(1+1) 2(1+1)	22(11+11) 2(1+1) 2(1+1) 2(1+1)	* * * *	SCIR-23-24/07/2012 *1. Meter ceiling report show up to 25kw, whereas sanctioned load is from 1.1 to 45kw, so it can not be verified the actual sanctioned load is required. Latest electricity bill clearly indicating sanctioned load. 2. In layout plan ground floor, 1 st floor, 2 nd floor is not properly demarcated. So proper dimension and no class room cannot be properly verified. Enlarged layout plan with proper demarcation is needed. S/D to forward with authentication of all relevant documents.

-6-

एस. के. धीमान/S.K. DHIMAN
प्रशिक्षण अधिकारी/Training Officer
रोजगार एवं प्रशिक्षण विभाग/Ministry of D.G.E.&T.
श्रम एवं रोजगार विभाग
Ministry of Labour & Employment
भारत सरकार/Govt. of India
नई दिल्ली/New Delhi



STATE: Rajasthan

DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	Std. Comm.	Approval by Sub-Committee of NCVT	
24 J.J.Pvt. ITI, Jugalpura, P.O.Khandela, The-Shrimadhapur, Dist-Sikar, Pin-332708 Rajasthan DGET-6/20/20/2012-TC (New Pvt.)	Fitter	2(1+1)	2(1+1)	*	SCIR-18/7/2012 *1. Electrical power related enclosed paper showing mixed load instead of commercial 3 phase load. No meter ceiling report is enclosed. 2.The experience certificate of Sh. Kamal Kant, Sh. Subash Chawala, Sh. Praveen Yadav, Shri Retish Goyal, Sh. Om Prakash Sharma, Sh. Ankit Aggrawal is not showing their date of issue and exp. Certificate of Sh. Sunil Kumar Mishra showing 2000 whereas experience period is from 01.10. 2006 to 30.10.2009. Requisite experience of instructor should be sent/appoint new instructor. S/D to forward. #Vehicle (jeep) Regd. No. RJ-18C003 is old. No insurance record/fitness or pollution clearance certificate is enclosed to authenticate the running condition of vehicle. Hence rejected.
	Electrician	2(1+1)	2(1+1)	*	
	Electronic Mech.	2(1+1)	2(1+1)	*	
	Mechanic Diesel	2(1+1)	2(1+1)	# Rejected	
25 Rajeev Gandhi Pvt. ITI, Khasra No-19&23, Barsingsar village, Dist-Bikaner Pin-334402 Rajasthan DGET-6/20/26/2012-TC (New Pvt.)	Fitter	2(1+1)	NR	NC	SCIR-25/7/2012 w.e.f. Aug 2012
	Electrician	2(1+1)	2(1+1)	2(1+1)	
	Welder	2(1+1)	NR	NC	
	Horticulture	2(1+1)	2(1+1)	2(1+1)	
26 Govt. ITI Lakhari, Dist-Bundi, Pin-323603 Rajasthan DGET-6/20/2/94-TC (Part file)	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	SCIR-12/7/2012 w.e.f. Aug 2012

-7-

एस. के. धीमान/S.K. DHIMAN
प्रशिक्षण अधिकारी/Training Officer
रोजगार एवं प्रशिक्षण विभाग/Ministry of Labour & Employment
भारत सरकार/Govt. of India
नई दिल्ली/New Delhi

STATE: Rajasthan



DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT	
27 Saraswati Pvt. ITI, Lambore Bari, Teh-Rajgarh, Dist-Churu, Pin-331023 Rajasthan DGET-6/20/8/2012-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	SCIR-13/7/2012 w.e.f. Aug 2012 * In COPA trade Sl. No.1,3 and 4 equipment with latest configuration are not available in attached bill. S/D to forward. #1.Layout plan does not show parking area for Mech. Diesel. 2. The running condition of vehicle RJOPA2406 can not be verified as other documents are not attached. Hence, rejected.
	Wireman	2(1+1)	2(1+1)	2(1+1)	
	Mech. Diesel	2(1+1)	2(1+1)	# Rejected	
	COPA	2(1+1)	2(1+1)	*	
28 Jain Pvt. ITI, Sadulshar, Dist-Shri Ganganagar, Pin-335062 Rajasthan DGET-6/20/17/2012-TC (New Pvt.)	Electrician	8(4+4)	8(4+4)	8(4+4)	SCIR-16/7/2012 w.e.f. Aug 2012
	Wireman	2(1+1)	2(1+1)	2(1+1)	
29 Tolasaria Pvt. ITI, Post-Dundlog, Teh-Nawalgarh, Dist-Jhunjunu Rajasthan DGET-6/20/64/2009-TC	Electrician	6(3+3)	6(3+3)	*	SCIR-12/7/2012 *1.In layout plan diesel garage is not shown. The institute is having 10 units affiliated and 12 units asking for affiliation so IT lab (7.24x2.43=17.59 sqm) is not suitable for 25 trainees and accommodating required No. of computers. 2. The new computer for IT labs is not purchased. S/D to forward.
	Wireman	4(2+2)	4(2+2)	*	
	Electronic Mech.	2(1+1)	2(1+1)	*	
30 Ritu Raj Pvt. ITI, Parbatsar, Dist-Nagaur Pin-341512 Rajasthan DGET-6/20/23/2012-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	SCIR-20/7/2012 w.e.f. Aug 2012
	Fitter	2(1+1)	2(1+1)	2(1+1)	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	
	COPA	2(1+1)	2(1+1)	2(1+1)	

-8-

एस. के. धिमान/S.K. DHIMAN
प्रशिक्षण अधिकारी/Training Officer
रोजगार एवं प्रशिक्षण विभाग/D.G.E.&T.
भय एवं रोजगार विभाग
Ministry of Labour & Employment
भारत सरकार/Govt. of India
नई दिल्ली/New Delhi



STATE: Rajasthan

DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	Std. Comm.	Approval by Sub-Committee of NCVT	
31 Navjivan Pvt. ITI, Khasra No.517/9 Bande Ka Balaji, The-Puler, Dist-Jaipur Rajasthan DGET-6/20/7/2012	Electrician	2(1+1)	2(1+1)	2(1+1)	SCIR-29/5/2012 SIR-13/8/2012 w.e.f. Aug 2012
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	
	COPA	2(1+1)	2(1+1)	2(1+1)	
	Draughtsman Civil	2(1+1)	2(1+1)	2(1+1)	
32 Govt. Shri Sanchiyalal Baid ITI, Tatangarh Anta Road, Sangod, Dist-Churu Pin-331022 Rajasthan DGET-6(Aff.)84-TC Govt. (Part)	MRAC	2(1+1)	2(1+1)	2(1+1)	SCIR-11/7/2012 w.e.f. Aug 2012
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	
	Electronic Mech.	2(1+1)	2(1+1)	2(1+1)	
33 Shri Sai Pvt. ITI, Plot No-5,6,17,18 Ram Bhawan, Joshi Colony, Krishna nagar, Main Ajmer Road, Kekri, Dist-Ajmer Rajasthan DGET-6/20/16/2012-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	SCIR-17/7/2012 w.e.f. Aug 2012
	Wireman	2(1+1)	2(1+1)	2(1+1)	
34 Maharishi Dayanand Saraswati Pvt. ITI, Near Rainbow Tower, Ward No.2, Rainwal Road, Chomu, Dist-Jaipur Pin-303702 Rajasthan DGET-6/20/16/2006-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	SCIR-18/7/2012 w.e.f. Aug 2012

-9-

एस. के. धिमान/S.K. DHIMAN
प्रशिक्षण अधिकारी/Training Officer
रोजगार एवं प्रशिक्षण विभाग/D.G.E.&T.
श्रम एवं रोजगार विभाग
Ministry of Labour & Employment
भारत सरकार/Ministry of India
नई दिल्ली/New Delhi



STATE: Rajasthan

DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT		
35 New Saurabh Pvt. ITI, G-28, RIICO Area Kharda, Dist-Sawai Madhopur Pin-322026 Rajasthan DGET-6/20/14/2008-TC	Electrician	Addl. 6 unit	-	Addl. 6 unit Total 18(6+6+6)	DIR-21/7/2012 w.e.f. Aug 2012	
36 Devyani Pvt. ITI, Sahanawa, Sahanawa Chouraya, Chittorgarh Pin-312001 Rajasthan DGET-6/20/5/2012-TC	Fitter Mech. Diesel	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-18/5/2012 SIR-16/8/2012 w.e.f. Aug 2012	
37 Govt. ITI, Jathwai Road, Dist-Jaisalmer Pin-342301 Rajasthan DGET-6/17/6/85-TC	COPA MRAC Front Office Assistant	2(1+1) 2(1+1) 2(1+1)	NR 2(1+1) 2(1+1)	NC 2(1+1) 2(1+1)	SCIR-16/7/2012 w.e.f. Aug 2012	
38 Govt. ITI, Parasiya, Kishan Garh, Dist-Ajmer Pin-305801 Rajasthan DGET-6/20/172/2000- TC	Electrician Wireman MRAC	Addl. 2(1+1) 2(1+1) 2(1+1)	Addl. 2(1+1) 2(1+1) 2(1+1)	Addl. 2(1+1) Total 4(2+2) 2(1+1) 2(1+1)	SCIR-20/7/2012 w.e.f. Aug 2012	

-10-

एस. के. धीमान/S.K. DHIMAN
प्रशिक्षण अधिकारी/Training Officer
रोजगार एवं प्रशिक्षण विभाग/D.G.E.&T.
श्रम एवं रोजगार विभाग
Ministry of Labour & Employment
भारत सरकार/Govt. of India
नई दिल्ली/New Delhi




STATE: Rajasthan

DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	Std. Comm.	Approval by Sub-Committee of NCVT	
39 Vishwakarma Kaushal Private ITI, Vill. Barlut, Dist. Sirohi Rajasthan DGET-6/20/12/2010-TC	Wireman	2(1+1)	2(1+1)	*Rejected	SCIR-30/3/2012 SIR-07/06/2012 SIR-14/8/2012 *Already rejected in the meeting held on 28.05.2012 & 28.06.2012 as the selected instructors were not present during the inspection and their verification were not carried out by the standing committee. Submit fresh SCIR. 3rd time rejected.
	Welder (G&E)	2(1+1)	2(1+1)	*Rejected	
	Electronics Mech.	2(1+1)	2(1+1)	*Rejected	
	Insurance Agent	2(1+1)	2(1+1)	*Rejected	
	Cutting & Sewing	2(1+1)	2(1+1)	*Rejected	
	Electrician	2(1+1)	2(1+1)	*Rejected	
40 Shri Narbadeshwar Private ITI, Near Bhomiya Ji Ka Than, Mediya Road, Beawar, Dist. Ajmer Rajasthan DGET-6/20/197/2008-TC	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	SCIR-18/7/2012 w.e.f. Aug 2012


 एस. के. धीमान/S.K. DHIMAN
 प्रशिक्षण अधिकारी/Training Officer
 रोजगार एवं प्रशिक्षण विभाग/O.G.E.&T.
 अम एवं रोजगार विभाग
 Ministry of Labour & Employment
 भारत सरकार/Govt. of India
 नई दिल्ली/New Delhi